

TABULAR LIST of all the AUSTRALIAN BIRDS at present known—showing the distribution of the Species,
By E. P. RAMSAY, F.L.S., &c.

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. Rr. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
1	CIRCUS ASSIMILIS, <i>J. & Selb.</i> ...	27	*	*	*	*	*	*	*	*	*	*
2	,, GOULDII, <i>Bp.</i> ...	26	*	*	*	*	*	*	*	*	*	*	*	*
3	ASTUR CINEREUS, <i>Viell</i> ...	14	...	*	*	*	*	*	*	*	*	*	*	*	*	*
4	,, NOVÆ-HOLLANDIÆ, <i>Gm.</i> ...	15	*	*	*	*	*	*	*	*	*	*
4a	,, ,, <i>subsp. LEUCOSOMUS, Sharpe.</i>	a	...	*	*	*
5	,, APPROXIMANS, <i>V. & H.</i> ...	17	...	*	*	*	*	*	*	*	*	*	*	*	*	*
6	,, CRUENTUS, <i>Gould.</i> ...	18	*	*
7	,, (<i>Erythroriorchis</i>) RADIATUS, <i>Lath.</i>	16	*	*	*	*	*	*	*	*	*	*
8	ACCIPITER CIRRHOCEPHALUS, <i>Viell.</i> ... <i>A. torquatus</i>	19	...	*	*	*	*	*	*	*	*	*	*	*	*	*
9	AQUILA (<i>Uroaetus</i>) AUDAX, <i>Lath.</i> ...	1	...	*	*	*	*	*	*	*	*	*	*	*	*	*
10	,, (<i>Nisaetus</i>) MORPHNOIDES, <i>Gould.</i>	2	*	*	*	*	*	*	*	*	*	*
11	HALIAETUS LEUCOGASTER, <i>Gm.</i> ...	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12	HALIASTUR INDUS, <i>Viell.</i> <i>subsp. GIRRENERA</i> ...	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13	,, SPHENURUS, <i>Viell.</i> ...	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*
14	MILVUS AFFINIS, <i>Gould.</i> ...	21	...	*	*	*	*	*	*	*	*	*	*	*	*	*
15	LOPHOICTINIA ISURA, <i>Gould</i> ...	22	*	*	*	*	*	*	*	*	*	*
16	GYPOICTINIA MELANOSTERNON, <i>Gould.</i>	20	*	*	*	*	*	*	*
17	ELANUS AXILLARIS, <i>Lath.</i> ...	23	...	*	*	*	*	*	*	*	*	*	*	*	*	*
18	,, SCRIPTUS, <i>Gould.</i> ...	24	*	*	*	*	*	*	*	*	*	*
19	BAZA SUBCRISTATA, <i>Gould.</i> ...	25	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20	FALCO MELANOGENYS, <i>Gould.</i> ...	8	*	*	*	*	*	*	*	*	*	*
21	,, HYPOLEUCUS, <i>Gould</i> ...	7	...	*	*	...	*	*	*	*	*	*	*	*	*	*
22	,, SUBNIGER, <i>Gould.</i> ...	9	*	*	*	*	*	*	*	*	*	*
23	,, LUNULATUS, <i>Lath.</i> ...	10	...	*	*	*	*	*	*	*	*	*	*	*	*	*
24	HIERACIDEA BERIGORA, <i>V. & H.</i> ... <i>H. occidentalis, Gould</i>	12	*	*	*	*	*	*	*
25	,, ORIENTALIS, <i>Schl.</i> ... <i>H. berigora, Gray</i>	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*
26	TINNUNCULUS CENCHROIDES, <i>V. & H.</i> ...	13	*	*	...	*	*	*	*	*	*	*

a—Sharpe's Cat., Acc. I., p. 119.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES		Species No. in Gould's Handbook to Birds of Australia or Other References	Pt. Dar. & Pt. Essing- Gulf of Carpentaria	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. Rr. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
27	PANDION LEUCOCEPHALUS, <i>Gould</i> ...	6	*	*	*	*	*	*	*	...	*	*	*	*	*
28	STRIX NOVÆ-HOLLANDIÆ, <i>Steph.</i> ...	29	*	*	...	*	*	*	*	*	*	*	...	*	...
28a	„ „ <i>subsp.</i> CASTANOPS ...	28
29	„ TENEBRICOSA, <i>Gould.</i> ...	30	*	...	*	*	*	...	*
30	„ CANDIDA, <i>Tickell.</i> ...	31	*	*	*	*	*	*	*	*	*
31	„ FLAMMEA, <i>L. subsp.</i> DELICATULA														
32	NINOX BOOBOOK, <i>Lath.</i> ...	36	*	*	*	*	*	*	*	...	*	*	*	*	*
32a	„ <i>var.</i> MARMORATUS, <i>Gould.</i> ...	35	*
33	„ OCELLATA, <i>Homb. et Jacq.</i> ...	a	*	*	*	...
34	„ MACULATA, <i>Vig. & Horsf.</i> ...	37	*	...	*	...	*	*	*	*	...
35	„ CONNIVENS, <i>Lath.</i> ...	34	...	*	*	*	*	*	*	...	*	*	*	*	...
36	„ STRENUA, <i>Gould.</i> ...	32	*	*	*	*	*	...	*	*	*	*	...
36a	„ RUFÆ, <i>Gould. (juv. of preceding?)</i>	33	*
37	ÆGOTHELES NOVÆ-HOLLANDIÆ ...	38	*	...	*	*	*	...	*	*	*	*	...
38	„ LEUCOGASTER, <i>Gould.</i> ...	39	?	*	*	...
39	PODARGUS STRIGOIDES, <i>Lath.</i> ...	40	*	*	*	*	...	*
40	„ CUVIERI, <i>Vig. & Horsf.</i> ...	41	*	*
41	„ PHALÆNOIDES, <i>Gould</i> ...	44	*	*	*
42	„ GOULDII, <i>Masters,</i> ...	b	*	*
43	„ PLUMIFERUS, <i>Gould.</i> ...	46	*	*	*
44	„ MARMORATUS, <i>Gould.</i> ...	47	*	...	*
45	„ PAPUENSIS, <i>Q. et Gaim.</i> ...	45	*	*	*
46	„ BRACHYPTERUS, <i>Gould.</i> ...	43	*	...
47	„ MEGACEPHALUS, <i>Lath.</i> ...*	42	*	*	*	...	*
48	EUROSTOPODUS GUTTATUS, <i>Vig. & Horsf</i>	49	*	*	*	*	*	*	*	*	*	*	*	*	*
49	„ ALBOGULARIS, <i>Vig. & Horsf.</i>	48	*	*	*	*	*	*	*	*	...
50	CAPRIMULGUS MACROURUS, <i>Horsf.</i> ...	50	*	*	*	*	*
51	CHELTURA CAUDACUTA, <i>Lath.</i> ...	51	*	*	*	*	*	*	*	*	*	*	...
52	CYPSELUS PACIFICUS, <i>Lath.</i> ...	52	*	...	*	*	*
53	COLLOCALIA TERRÆ-REGINÆ, <i>Ramsay.</i>	c	?	*

a—*Homb. et Jacq.*—Voyage au Pôle Sud., Zool. III., p. 51, pl. 3, fig. 2. b—P. L. S. of N.S.W., Vol. 1, p. 45. c—P. Z. S., 1874, p. 601. * I have never seen this doubtful species.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
54	HIRUNDO FRONTALIS, <i>Q. et Gaim.</i> ...	53	*	*	*	*	*	*	*	*	*	*	*	*	*	*
55	" ,, FRETENSIS, <i>Gould.</i> ...	54	*
56	HYLOCHELIDON NIGRICANS <i>Viell.</i> ...	55	*	*	*	*	*	*	*	*	*	*	*	*	*	*
57	LAGENOPLASTES ARIEL, <i>Gould.</i> ...	56	*	*	*	*	*	*	*	*	*	*	*
58	CHERAMECA LEUCOSTERNON, <i>Gould.</i> ...	57	*	*	*	*	*	*	*
59	MEROPS ORNATUS, <i>Latham.</i> ...	58	*	*	*	*	*	*	*	*	*	*	*	*	*	*
60	EURYSTOMUS PACIFICUS, <i>Lath.</i> ...	59	*	*	*	*	*	*	*	*	*	*	*	*
61	DACELO GIGAS, <i>Bodd.</i> ...	60	*	*	*	*	*	*	*	*	*	*
62	" ,, CERVINA, <i>Gould.</i> ...	62	*	●	*
62a	" ,, OCCIDENTALIS, <i>Gould.</i> ...	a	*
63	" ,, LEACHII, <i>Vig. & Horsf.</i> ...	61	*	*	*	*	*	†
64	HALCYON SANCTUS, <i>Vig. & Horsf.</i> ...	63	*	*	*	*	*	*	*	*	*	*	*	*	*	*
65	" ,, PYRRHOPYGIUS, <i>Gould.</i> ...	64	*	*	*	*	*	*	*	*	*	*	*	*
66	" ,, SORDIDUS, <i>Gould.</i> ...	65	*	●	*	*	*	*	*
67	" ,, MACLEAYI, <i>Jard & Selb.</i> ...	66	*	*	*	*	*	*	*	*	*	*	*	*	*	*
68	SYMA FLAVIROSTRIS, <i>Gould.</i> ...	67	*	†
69	TANYSIPTERA SYLVIA, <i>Gould.</i> ...	68	...	*	*	*	*
70	ALCYONE AZUREA, <i>Lath.</i> ...	69	*	*	*	*	*	*	*	*	*	*	*	*
71	" ,, DIEMENENSIS, <i>Gould.</i> ...	70	*
72	" ,, PULCHRA, <i>Gould.</i> ...	71	*	*	*
73	" ,, PUSILLA, <i>Temm.</i> ...	72	...	*	*	*
74	ARTAMUS, SORDIDUS, <i>Lath.</i> ...	73	*	*	*	*	*	*	*	*	*	*	*	*
75	" ,, LEUCOPYGIALIS, <i>Gould.</i> ...	80	*	*	*	*	*	*	*	*	*	*	*	*	*	*
76	" ,, PERSONATUS, <i>Gould.</i> ...	78	*	*	*	*	*	*	*	*	*	*
77	" ,, CINEREUS, <i>Viellot.</i> ...	75	*
78	" ,, ALBIVENTRIS, <i>Gould.</i> ...	76	...	●	*	*	*	*
79	" ,, MELANOPS, <i>Gould.</i> ...	77	*	●	*	*	*	*
80	" ,, MINOR, <i>Viellot.</i> ...	74	*	*	...	*	*	*	*	*
81	" ,, SUPERCILIOSUS, <i>Gould.</i> ...	79	*	*	*	*	*	*	*	*	*	*
82	PARDALOTUS PUNCTATUS, <i>Temm.</i> ...	81	*	*	*	*	*	*	*	*	*	*	*	*

a—P. Z. S., 1839, p. 602.

† D. intermedius of Salvadori,

‡ S. torotoro, *Less.*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District	Rich. & Char. R. Dis.	N. S. Wales.	Interior.	Vict. ria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
83	PARDALOTUS XANTHOPYGIUS, <i>McCoy.</i>	a
84	„ STRIATUS, <i>Temm.</i> ...	84
85	„ AFFINIS, <i>Gould.</i> ...	85
85a	„ ASSIMILIS, <i>Ramsay.</i> ...	b
86	„ MELANOCEPHALUS, <i>Gould</i>	86
87	„ UROPYGIALIS, <i>Gould</i> ...	87	*	*
88	„ RUBRICATUS, <i>Gould.</i> ...	82	*	*
89	„ QUADRAGINTUS, <i>Gould.</i>	83
90	STREPERA GRACULINA, <i>White</i> ...	88
91	„ ANAPHONENSIS, <i>Temm.</i> ...	91
92	„ FULIGINOSA, <i>Gould.</i> ...	89
93	„ ARGUTA, <i>Gould.</i> ...	90
94	GYMNORHINA TIBICEN, <i>Lath.</i> ...	92
95	„ LEUCONOTA, <i>Gould.</i> ...	93
96	„ ORGANICUM, <i>Gould.</i> ...	94
97	CRATICUS TORQUATUS, <i>Lath.</i> ... <i>Barita destructor</i> , <i>Temm.</i>	99
98	„ PICATUS, <i>Gould.</i> ...	96	*	*
99	„ ROBUSTUS, <i>Lath.</i> , ... <i>C. nigrogularis</i> , <i>Gould.</i>	95
100	„ LEUCOPTERUS, <i>Cab.</i>	101
101	„ QUOYII, <i>Lesson.</i>	98	*	*	*	*	*	*	*	*	*	*	*	*	*	*
102	„ CINEREUS, <i>Gould.</i>	100
103	„ ARGENTEUS, <i>Gould.</i>	97	*	*
104	GRALLINA PICATA, <i>Lath.</i>	102	*	*	*	*	*	*	*	*	*	*	*	*	*	*
105	GRAUCALUS MELANOPS, <i>Lath.</i> ...	103	*	*	*	*	*	*	*	*	*	*	*	*	*	*
106	„ MENTALIS, <i>Fig. & Horsf.</i>	105
107	„ PARVIROSTRIS, <i>Gould.</i> ...	104
108	„ HYPOLEUCUS, <i>Gould.</i>	106	*	*	*	*	*	*	*	*	*	*	*	*	*	*
109	„ LINEATUS, <i>Swains.</i>	107
	<i>G. swainsonii</i> , <i>Gould.</i>	

a—Gould, B. Aust., Suppl. pl. 8.

b—Tips of spurious wings *always orange-red* never *yellow* as in *P. affinis*.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

No.	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
110	*PTEROPODOCYS PHASIANELLA, <i>Gould.</i>	108	*	...	*	*	*	*	*	*	*
111	CAMPEPHAGA JARDINII, <i>Rüpp.</i> ...	109	*	*	*	*	*	*	*	*	*
112	CAMPEPHAGA RUFIVENTRIS, <i>Pucher.</i> ... <i>C. Karu, Gould, nec. Lesson.</i>	110	*	*	*	*	*	*	*	*	*
113	,, LEUCOMELA, <i>V. & Horsf.</i> ...	111†	*	...	*
114	,, HUMERALIS, <i>Gould.</i> ...	112	*	*	*	*	*	*	*	*	...	*	*	*
115	,, KARU, <i>Lesson.</i> ...	a	*	*
116	PACHYCEPHALA GUTTURALIS, <i>Lath.</i> ...	113	*	*	*	*	*	*	...	*	*
117	,, OCCIDENTALIS, <i>Ramsay</i> ...	c	*	...
118	,, GLAUCURA, <i>Gould.</i> ...	114	*
119	,, MELANURA, <i>Gould.</i> ...	115	*	*	*	*	*
120	,, RUFIVENTRIS, <i>Lath.</i> ...	116	...	* ⁹	*	*	*	*	*	*	...	*	*
121	,, PALLIDA, <i>Ramsay.</i> ...	b	...	*
122	,, FALCATA, <i>Gould.</i> ...	117	*	...	*
123	,, LANOIDES, <i>Gould.</i> ...	118	++	...
124	,, RUFOGULARIS, <i>Gould.</i> ...	119	*	*
125	,, GILBERTII, <i>Gould.</i> ...	120	*
126	,, SIMPLEX <i>Gould.</i> ...	121	*
127	,, OLIVACEA, <i>Vig. & Horsf.</i> ...	122	*	...	*	*	*
128	,, ROBUSTA, <i>Masters.</i> ...	d	*
129	COLLURICINCLA HARMONICA, <i>Lath.</i> ...	123	* ⁹	*	*	*	*	*	...	*	*
130	,, PARVULA, <i>Gould.</i> ...	127	*
131	,, BRUNNEA, <i>Gould.</i> ...	125	*	*	*	* ⁵	*
132	,, SELBII, <i>Jardine</i> ...	126	*
133	,, RUFIVENTRIS, <i>Gould.</i> ...	124	*	...
134	,, RUFIGASTER, <i>Gould.</i> ...	128	*	*	*	*
135	,, PARVISSIMA, <i>Gould.</i> ...	e	...	*	*	*
136	,, SUPERCILIOSA, <i>Masters.</i> ...	f	...	§
137	FALCUNCULUS FRONTATUS, <i>Lath.</i> ...	129	*	*	*	*	...	*	*
138	,, LEUCOGASTER, <i>Gould.</i> ...	130	*	...

* This species should be perhaps, more correctly *P. maxima, Rüpp.*
 † Localities from Gould's Hand-book. I have never seen this species in any collection.
 ‡ North West Coast, *Gould.*
 § Cape Grenville.

a—Voy. de la Coequeille, pl. 12.
 b—P. L. S. of N.S.W., Vol. II, pt. 3.
 c—P. L. S. of N.S.W., Vol. II, pt. 2, p. 7.
 d—P. L. S. of N. S. W., Vol. 1, p. 49.
 e—Ann. & Mag. Nat. Hist., Vol. X, p. 114.
 f—P. L. S. of N.S.W., I, p. 60.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	White Bay District.	Rich. & Char. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
139	OREOICA CRISTATA, <i>Lewin</i>	131	*	*	*	*	*	*	*	*	*	*	*	*	*	*
140	CHIBIA BRACTEATA, <i>Gould.</i>	132	*	*	*	*	*	*	*	*	*	*	*	*	*	*
141	MANUCODIA GOULDII, <i>G. R. Gray</i>	133	...	*	*
142	RHIPIDURA ALBISCAPA, <i>Gould.</i>	134	*	*	*	*	*	*	*	*	*	*	*
143	„ PREISSI, <i>Cab.</i>	135	*
144	„ RUFIFRONS, <i>Lath.</i>	136	*	*	*	*	*	*	*	*	*	*	*
145	„ DRYAS, <i>Gould.</i>	137	*	*	*	*	*	*	*	*	*	*	*	*	*	*
146	„ SETOSA, <i>Quoy et Gaim.</i>	138	*	*	*	*	*
	<i>R. isura</i> , <i>Gould</i> , <i>R. superciliosa</i> , <i>Ramsay</i>															
147	SAULOPROCTA MOTACILLOIDES, <i>Vig. & Horsf.</i>	139	*	*	*	*	*	*	*	*	*	*	*
148	„ PICATA, <i>Gould.</i>	140	*	*	*
149	SEISURA INQUIETA, <i>Lath.</i>	141	*	*	*	*	*	*	*	*	*	*	*
150	„ NANA, <i>Gould.</i>	a	*	*	*
151	PIEZORHYNCHUS NITIDUS, <i>Gould.</i>	142	*	*	*	*	*	*
152	ARSES (<i>Ophryzone</i>), <i>KAUPII</i> , <i>Gould.</i>	143	...	*	*	*	*
153	MYIAGRA PLUMBEA, <i>Vig. & Horsf.</i>	144	*	*	*	*	*	*	*	*	*	*	*
154	„ CONCINNA, <i>Gould.</i>	145	*	*	...	*	*
155	„ RUBECULA, <i>Lath.</i>	146	...	*	*	*	*	*	*	*	*	*	*	*	*	*
	„ <i>M. nitida</i> , <i>Gould.</i>															
156	„ LATIROSTRIS, <i>Gould</i>	147	*	*	*
157	MACHÆRIRHYNCHUS FLAVIVENTER, <i>Gd.</i>	148	*	*	*
158	MICRECA FASCINANS, <i>Lath.</i>	149	...	*	...	*	*	*	*	*	*	*	*	*	*	*
159	„ ASSIMILIS, <i>Gould.</i>	150	...	*	*
160	„ FLAVIGASTER, <i>Gould.</i>	151	*	*	*	*	*
161	MONARCHA CARINATA, <i>Swainson.</i>	152	*	*	*	*	*	*	*	*	*	*	*	*	*	*
162	„ GOULDII, <i>G. R. Gray.</i>	153	...	*	*	*	*	*	*	*	*	*	*	*	*	*
	„ <i>M. trivirgata</i> , <i>Gould.</i>															
163	„ LEUCOTIS, <i>Gould.</i>	154	...	*	*	*	*
164	„ ALBIVENTRIS, <i>Gould.</i>	155	Supp. pl. 13.	*	*	*	*	*	*	*	*	*	*	*	*	*
165	GERYGONE ALBOGULARIS, <i>Gould.</i>			*	*	*	*	*	*	*	*	*	*	*	*	*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Char. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
166	GERYGONE FUSCA, <i>Gould.</i> ...	156	?	...	*	*	*	*	*	*	*	*	*	*
167	„ CULICIVORA, <i>Gould.</i> ...	157	*	*
168	„ MAGNIROSTRIS, <i>Gould.</i> ...	158	*	*	...	*	*	*
169	„ LÆVIGASTER, <i>Gould.</i> ...	159	*	*	?	*	*
170	„ CHLORONOTA, <i>Gould.</i> ...	160	*	*	*	*
171	„ PERSONATA, <i>Gould.</i> ...	{ Supp. pl. 14.	...	*	*	*
172	„ SIMPLEX, <i>Masters.</i> ...	a	*	*	*	*
173	„ FLAVIDA, <i>Ramsay.</i> ...	b	*	*	*
174	SMICRORNIS BREVIROSTRIS, <i>Gould.</i> ...	161	*	*	*	*	*	*	*	*	*	*
175	„ FLAVESCENS, <i>Gould.</i> ...	162	*	*	*	*
176	ERYTHRODRYAS ROSEA, <i>Gould.</i> ...	164	*	*	*	*	*	*	*	*	*	*	*	*
177	„ RHODINOGASTER, <i>Drap.</i> ...	163	*	*	*	*	*
178	PETRÆCA, MULTICOLOR, <i>Vig. & Horsf.</i> ...	165	*	*	*	*	*	*	*	*	*	*	*	*
179	„ GOODENOVII, <i>Vig. & Horsf.</i> ...	166	*	*	*	*	*	*	*	*	*	*
180	„ PHENICEA, <i>Gould.</i> ...	167	*	*	*	*	*	*	*	*	*	*
181	MELANODRYAS CUCULATA, <i>Lath.</i> ...	168	*	*	*	*	*	*	*	*	*	*
182	„ PICATA, <i>Gould.</i> ...	169	*	*	*	*	*
183	AMAURODRYAS VITTATA, <i>Quoy et Gaim.</i> ...	170	*	*	...	*	*
184	PÆCILDRYAS CERVINIVENTRIS, <i>Gould</i>	171	†	...
185	„ SUPERCILIOSA, <i>Gould.</i> ...	172	*	*	*	*	*	*
186	„ (?) CINERIFRONS, <i>Ramsay.</i> ...	c	*	*	*
187	DRYMODES BRUNNEOPYGIA, <i>Gould.</i> ...	173	*	*	...	*	*
188	„ SUPERCILIARIS, <i>Gould.</i> ...	174	...	*	*	*	*
189	EOPSALTRIA AUSTRALIS, <i>Lath.</i> ...	175	*	*	*	*	*	*
190	„ GRISEOGULARIS, <i>Gould.</i> ...	176	*	...	*	*
191	„ GULARIS, <i>Quoy et Gaim.</i> ... <i>E. leucogaster</i> , <i>Gould.</i>	177	*	*
192	„ CAPITO, <i>Gould.</i> ...	178	*	*	*	*	*	*
193	„ MAGNIROSTRIS, <i>Ramsay.</i> ...	d	*	*	*	*	*
194	„ INORNATA, <i>Ramsay.</i> ...	e	*	*	*

a—P. L. S. of N. S. W., 1. p. 52.

b—P. L. S. of N. S. W., Vol. 2, p. 53.

c—P. Z. S., 1875, p. 588.

d—M. S. S., 1867; et lit.; *Gould, Ann. & Mag. Nat. His.*, (4), IV, p. 109.

e—P. Z. S., 1874, p. 604. † North West Coast.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No in Gould's Handbook to Birds of Australia or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Chr. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
195	EOPSALTRIA LEUCURA, <i>Gould.</i> ...	Supp. pl. 18.	*	*	*											*
196	" CHRYSORRHOS, <i>Gould.</i> ...	a				*	*	*								
197	MENURA SUPERBA, <i>Darvies.</i> ...	179								*						
198	" ALBERTI, <i>Gould.</i> ...	181					*	*								
199	" VICTORLE, <i>Gould.</i> ...	180						*	*				*	*		
200	PSOPHODES CREPITANS, <i>Vig & Horsf.</i> ...	182				*	*	*	*	*		*	*	*		
201	" NIGROGULARIS, <i>Gould.</i> ...	183													*	
202	SPHENOSTOMA CRISTATA, <i>Gould.</i> ...	184							*	*	*	*	*	*		
203	MALURUS CYANEUS, <i>Lath.</i> ...	185					*	*	*	*	*	*	*	*		
204	" LAMBERTI ...	191	*	*	*		*	*	*	*	*	*	*	*		
205	" LONGICA'DUS, <i>Gould.</i> ...	186					*	*	*	*	*	*	*	*		
206	" MELANOTUS, <i>Gould.</i> ...	187								*	*	*	*	*		
207	" SPLENDENS, <i>Quoy. et Gaim.</i> ...	188									*	*	*	*		
208	" ELEGANS, <i>Gould.</i> ...	189									*	*	*	*		
209	" PULCHERRIMUS, <i>Gould.</i> ...	190									*	*	*	*		
210	" AMABILIS, <i>Gould.</i> ...	192	*	*	*						*	*	*	*		
	<i>M. hypoleucus</i> , <i>Gould</i> = ♀ of 210	Supp. pl. 22.														
211	" CORONATUS, <i>Gould.</i> ...	193	†													
212	" LEUCOPTERUS, <i>Quoy. et Gaim.</i> ...	194							*	*	*	*	*	*		
213	" LEUCONOTUS, <i>Gould.</i> ...	195														
214	" MELANOCEPHALUS, <i>Vig. & Horsf.</i> ...	196				*	*	*	*			*	*	*		
215	" CALLAINUS, <i>Gould.</i> ...	Supp. pl. 23.														
216	" BROWNII, <i>Vig. & Horsf.</i> b <i>M. cruentatus</i> , <i>Gould.</i>	197	*	*	*	*										
217	AMYTIS TEXTILIS, <i>Quoy et Gaim</i> ...	198								*	*	*	*	*		
218	" STRIATUS, <i>Gould.</i> ...	199									*	*	*	*		
219	" MACROURUS, <i>Gould.</i> ...	200														
220	" GOYDERI, <i>Gould.</i> ...	c											*	*		
221	STIPITURUS MALACHURUS, <i>Lath.</i> ...	201					*	*	*	*	*	*	*	*	*	*
222	SPHENURA BRACHYPTERA, <i>Lath.</i> ...	202					*	*	*	*	*	*	*	*	*	*

a—A. & M. Nat. Hist. IV., p. 109 ? *E. magnirostris*,
Ramsay, N. E. Queensland
† Victoria River, N. Australia.

b—Vigors & Horsfield, Linn. Transactions, XV, p. 223
c—A. & M. Nat. Hist., XVI (4th), No. 92, p. 286.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Darwin.	Wide Bay District	S. Ch. & Char. Rr. Dist.	N. S. Wales.	Interior.	Vict. riv.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
223	SPHENURA <i>subsp.</i> LONGIROSTRIS, <i>Gould.</i>	203
224	„ BROADBENTII, <i>McCoy.</i>	204
225	ATRICHIA CLAMOSA, <i>Gould.</i>
226	„ RUFESCENS, <i>Ramsay.</i>	a
227	HYLACOLA CAUTA, <i>Gould.</i>	206
228	„ PYRRHOPYGIA, <i>Vig. & Horsf.</i>	205
229	PYCNOPILUS FLOCCOSUS, <i>Gould.</i>	207
230	CISTICOLA MAGNA, <i>Gould.</i>	208
231	„ EXILIS, <i>Lath.</i>	209
232	„ LINEOCATILLA, <i>Gould.</i>	210
233	„ RUFICEPS, <i>Gould.</i>	212 } 211 }
	<i>C. isura</i> , <i>Gould.</i> = ♀ of <i>C. ruficeps</i>	
234	SERICORNIS CITREOGULARIS, <i>Gould.</i> ...	213
535	„ HUMILIS, <i>Gould.</i>	214
236	„ OSCULANS, <i>Gould.</i>	215
237	„ FRONTALIS, <i>Vig. & Horsf.</i>	216
233	„ LEVIGASTER, <i>Gould.</i>	217
233	„ MACULATUS, <i>Gould.</i>	218
240	„ MAGNIROSTRIS, <i>Gould.</i>	219
241	„ MINIMUS, <i>Gould.</i>	b
242	ACANTHIZA PUSILLA, <i>Lath.</i>	220
243	„ DIEMENENSIS, <i>Gould.</i>	221
244	„ UROPYGALIS, <i>Gould.</i>	222
245	„ APICALIS, <i>Gould.</i>	223
246	„ PYRRHOPYGIA, <i>Gould.</i>	224
247	„ INORNATA, <i>Gould.</i>	225
248	„ NANA, <i>Vig. & Horsf.</i>	226
249	„ LINEATA, <i>Gould.</i>	227
250	„ MAGNA, <i>Gould.</i>	228
251	GEOBASILEUS REGULOIDES, <i>Vig. & Horsf.</i>	230

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES	Species No. in Gould's Handbook to Birds of Australia or other References	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Char. Rr. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
252	GEOBASILEUS CHRYSORRHŒA, <i>Q. et Gm.</i>	229	*	*	*	*	*	*	*	*	*	*	*	...
253	EPHTHIANURA TRICOLOR, <i>Gould.</i>	233	*	*	*	*	*	*
254	„ AURIFRONS, <i>Gould.</i>	232	*	*	*	*	*
255	„ ALBIFRONS, <i>Jard. & Selb.</i>	231	*	*	*	...	*	*	*	*
256	„ CROCEA, <i>Castl. & Ramsay.</i>	a	...	*
257	XEROPHILA LEUCOPSIS, <i>Gould.</i>	234	*	*	*	*	*	*	...	*
258	„ PECTORALIS, <i>Gould.</i>	b	*	*
259	PYRRHOLEMUS BRUNNEUS, <i>Gould.</i>	235	*	*	*	*	...
260	ŒGMA RUBRICATA, <i>Lath.</i>	236	*	...	*
261	CALAMANTHUS FULIGINOSUS, <i>Fig. & H.</i>	237	*
262	„ CAMPESTRIS ...	238	*	*	*	*	...
263	CHTHONICOLA SAGITTATA, <i>Lath.</i>	239	*	*	*	...	*	*	*	*	*	...
264	ANTHUS AUSTRALIS, <i>Fig. & Horsf.</i>	240	*	*	*	*	*	*	*	*	*	*	*	*	*	...
265	CINCLORAMPHUS CRURALIS, <i>Fig. & H.</i>	241	*	*	*	*	*	*	*	*	*	*	*	...
266	„ CANTILLANS, <i>Gould.</i>	242	*	*	*	*
267	PTENEDUS RUFESCENS, <i>Fig. & Horsf.</i>	243	*	*	*	*	*	*	*	*	*	*	*	*	*	...
268	SPHENÆACUS GALACTOTES, <i>Temm.</i>	244	*	*	*	*	*	*	*	*
269	„ GRAMINEUS, <i>Gould.</i>	245	*	*	*	*	*	*	*	*	*	*	...
270	CALAMOPHERPE AUSTRALIS, <i>Gould.</i>	246	*	*	*	*	*	*	*	*	*	*	*	...
271	„ LONGIROSTRIS, <i>Gould.</i>	247	*	...
272	MIRAFRA HORSFIELDII, <i>Gould.</i>	248	...	*	...	*	*	*	*	*	*	*	*	*	*	...
273	ESTRILDA (<i>Zonæginthus</i>) BELLA, <i>Lath.</i>	249	*	...	•	*	*	*	*	*
274	„ („) OCULEA, <i>Quoy et Gm.</i>	250	*	...
275	(<i>Stictoptera</i>) BICHENOVII, <i>Fig. & H.</i>	251	...	*	...	*	*	*	*	*
276	„ ANNULOSA, <i>Gould.</i>	252	*
277	„ (<i>Ægintha</i>) TEMPORALIS, <i>Lath.</i>	253	*	*	*	*	*	*	*	*	*	*
278	„ (<i>Bathilda</i>) RUFICAUDA, <i>Gould.</i>	254	*	*	*	*	*	*	*
279	„ (<i>Aidemosyne</i>) MODESTA, <i>Gould.</i>	255	*	*	*	*	*
280	„ (<i>Neochmia</i>) PHAETON, <i>H. et Jacq.</i>	256	*	*	*	*	*	*	*	*	*	*	*	*	*	...
281	„ (<i>Stagonopleura</i>) GUTTATA, <i>Shaw.</i>	257	*	*	*	*	*	*	*	*	...

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
282	ESTRILDA (<i>Tæniopygia</i>) CASTANOTIS, <i>Gd.</i>	258	*	*	*	*	*	*
283	MUNIA FLAVIPRYMNA, <i>Gould.</i>	267	*	*	*	*	*	*
284	DONACOLA CASTANEOOTHORAX, <i>Gould.</i>	265	...	*	*	*	*	*	*	*
285	„ PECTORALIS, <i>Gould.</i>	266	*	*	*	*	*	*
286	EMBLEMA PICTA, <i>Gould.</i>	268	†
287	PŒPHILA CINCTA, <i>Gould.</i>	264	*	*	*	*
288	„ ACUTICAUDA, <i>Gould.</i>	261	*
289	„ ATROPYGIALIS, <i>Diggles.</i>	*
290	„ MIRABILIS, <i>Homb. et Jacq.</i>	260	*	*
291	(black-headed phase) GOULDIÆ, <i>Gould.</i>	259	*	*
292	(yellow-headed phase) ARMITIANA, <i>Rams.</i>	a	...	*
293	„ PERSONATA, <i>Gould.</i>	262	*	*
294	„ LEUCOTIS, <i>Gould.</i>	263	*	*
295	PITTA STREPITANS, <i>Temm.</i>	269	*	*	*	*	*
296	„ (subsp.) SIMILIMA, <i>Gould.</i>	b	*	*
297	„ MACKLOTHI, <i>Müll & Schleg.</i>	{	*
298	„ IRIS, <i>Gould.</i>	270	*
299	CINCLOSOMA PUNCTATUM, <i>Lath.</i>	271	*	*	*	*	*	*	*	*	...
300	„ CASTANEONOTUM, <i>Gould.</i>	272	*	*	*	*	*	*	...
301	„ CINNAMOMEUM, <i>Gould.</i>	273	*	*	*	*	*	*	...
302	„ CASTANEOOTHORAX, <i>Gould.</i>	274	*	...	*
303	OREOCINCLA LUNULATA, <i>Lath.</i>	275	*	*	*	...	*	*	...
304	„ HEINII, <i>Cab.</i>	d	*
	<i>O. iodura</i> , <i>Gould.</i>	
305	PTILONORHYNCHUS HOLOSERICÆUS, ... <i>Kuhl. (P. violaceus, Vieill.)</i>	276	*	*	*	*	*
306	„ (hybrid) RAWNSLEYI, <i>Digg.</i>	e	*
307	AILURÆDUS CRASSIROSTRIS, <i>Payk.</i>	277	*	*	*
	<i>A. Smithii</i> , <i>Vig. & Horsf.</i>	
308	„ MACULOSUS, <i>Ramsay.</i>	f	*	*	*	...	*	*

† *Hab.* North-West Coast, *Gould.*
a.—*P. Linn. Soc. N. S. Wales*, Vol. 2, p. 70.
b.—*P. Z. S.*, 1868, p. 76.

d.—*Ann. Mag. Nat. Hist.*, 4 Ser., 9. p. 401.
e.—*See P. S. Z.*, 1875, p. 69, *Gould Suppl. pl. 34.*
f.—*P. Z. S.* 1874, p. 601.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing ^r	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Demison.	Wide Bay District.	Rich. & Char. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
309	CHLAMYDODERA NUCHALIS, <i>Jard. & Selb.</i>	278	*	*	*	*
310	„ MACULATA, <i>Gould.</i> ...	279	*	*	*	*	*
311	„ GUTTATA, <i>Gould.</i> ...	280	†	?
312	„ CERVIVENTRIS, <i>Gould</i>	281	...	*	*
313	„ OCCIPITALIS, <i>Gould.</i> ...	a	...	?
314	SCENOPÆUS DENTIROSTRIS, <i>Ramsay</i> ...	b
315	SERICULUS MELINUS, <i>Lath.</i> ...	282	* ⁹	*	*	*	*
316	MIMETA VIRIDIS, <i>Lath.</i> ...	283	*	*	*	*	*	...	*
317	„ AFFINIS, <i>Gould.</i> ...	284	*	*	*	*
318	„ FLAVOCINCTA, <i>King</i> ...	285	*	*	*	*	*	*	*	*
319	SPIECOTHERES MAXILLARIS, <i>Lath.</i> ...	286	...	*	*	*	*	*	*	*
320	„ FLAVIVENTRIS, <i>Gould</i> ...	287	...	*	*	*	*	*	*	*	*
321	CORCORAX MELANORHAMPHUS, <i>Vieill.</i>	288	*	*	*	*	*	*
322	STRUTHIDEA CINEREA, <i>Gould.</i> ...	289	...	*	*	*	*	*	*	*	...
323	CORVUS AUSTRALIS, <i>Gmelin.</i> ...	290	*	*	*	*	*	*	*	*	*	*	*	*	*	...
324	CALORNIS METALLICA, <i>Temm.</i> ...	291	...	*	*	*	*	*
325	POMATOSTOMUS TEMPORALIS, <i>V. & H.</i>	292	...	*	...	*	*	*	*	*	*	*	*	*	*	...
326	„ SUPERCILIOSUS, <i>V. & H.</i>	294	*	*	*	*	*	*	*	*	*	*	*	...
327	„ RUBECULUS, <i>Gould.</i> ...	293	*	*	*	*	*	*	*	...
328	„ RUFICEPS, <i>Hartlaub.</i> ...	295	*	*	*	*	*	*	...
329	MELIORNIS NOVÆ-HOLLANDIÆ, <i>Lath.</i>	296	*	*	*	...	*	*	*	*	?
330	„ (subsp. a.) LONGIROSTRIS, <i>Gould</i>	297
331	„ SERICEA, <i>Gould.</i> ...	298	*	*	*	...	*	*	*	*	?
332	„ (subsp. b.) MYSTACALIS, <i>Gould.</i>	299
333	„ (<i>Lichmera</i>) AUSTRALASIANA, <i>Shaw</i>	300	*	*	*	...	*	*	*	*	...
334	GLYCIIPHILA FULVIFRONS, <i>Levin.</i> ...	301	*	*	*	...	*	*	*	*	...
335	„ ALBIFRONS ...	302	* ⁹	...	*	*	*	*	*	*	...
336	„ ? PECTORALIS, <i>Gray.</i> ... ! (<i>G. fasciata</i> , <i>Gould.</i>)	303	*	*	*	*	*	*	*	*	*	*	*	...
337	„ ? SUBFASCIATA, <i>Ramsay,</i> ...	c	*	*

† *Uab.* North West Australia, *Gould.*
a—*Ann. Nat. Hist.* (4), No. 96, p. 429.

b—*P. Z. S.* 1875, p. 591.
c—*P. Z. S.*, 1868, p. 385.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
338	STIGMATOPS OCULARIS, <i>Gould.</i> ...	304	*	?	?	*	*	*	*	*	*	*	*	*	*	*
339	" SUBOCULARIS, <i>Gould.</i> ...	305	*	*	*	*	*	*	*	*	*	*	*	*	*	*
340	PTILOTIS, LEWINII, <i>Swains.</i> ...	306	*	*	*	*	*	*	*	*	*	*	*	*	*	*
341	" VITTATA, <i>Cuv</i> ...	307	*	*	*	*	*	*	*	*	*	*	*	*	*	*
342	" VERSICOLOR, <i>Gould.</i> ...	308	*	*	*	*	*	*	*	*	*	*	*	*	*	*
343	" FASIOGULARIS, <i>Gould.</i> ...	309	*	*	*	*	*	*	*	*	*	*	*	*	*	*
344	" FLAVICOLLIS, <i>Vieill.</i> <i>P. flavigula</i> , <i>Gould.</i> ...	310	*	*	*	*	*	*	*	*	*	*	*	*	*	*
345	" GRACILIS, <i>Gould.</i> ...	a	*	*	*	*	*	*	*	*	*	*	*	*	*	*
346	PTILOTIS LEUCOTIS, <i>Lath.</i> ...	311	*	*	*	*	*	*	*	*	*	*	*	*	*	*
347	" AURICOMIS, <i>Lath.</i> ...	312	*	*	*	*	*	*	*	*	*	*	*	*	*	*
348	" (<i>Lichenostomus</i>) CRATTIA, <i>Gould.</i> ...	313	*	*	*	*	*	*	*	*	*	*	*	*	*	*
349	" (") OCCIDENTALIS, <i>Cab.</i> ...	313	*	*	*	*	*	*	*	*	*	*	*	*	*	*
350	" ORNATA, <i>Gould.</i> ...	314	*	*	*	*	*	*	*	*	*	*	*	*	*	*
351	" PLUMULA, <i>Gould.</i> ...	315	*	?	*	*	*	*	*	*	*	*	*	*	*	*
352	" FLAVESCENS, <i>Gould.</i> ...	316	*	*	*	*	*	*	*	*	*	*	*	*	*	*
353	" FLAVA, <i>Gould.</i> ...	317	*	*	*	*	*	*	*	*	*	*	*	*	*	*
354	" PENICILLATA, <i>Gould.</i> ...	318	*	*	*	*	*	*	*	*	*	*	*	*	*	*
355	" FUSCA, <i>Gould.</i> ...	319	*	*	*	*	*	*	*	*	*	*	*	*	*	*
356	" CHRYSOPS, <i>Lath.</i> ...	320	*	*	*	*	*	*	*	*	*	*	*	*	*	*
357	" FRENATA, <i>Ramsay</i> ...	b	*	*	*	*	*	*	*	*	*	*	*	*	*	*
358	" MACLEAYI, <i>Ramsay.</i> ...	c	*	*	*	*	*	*	*	*	*	*	*	*	*	*
359	" NOTATA, <i>Gould.</i> ...	{	Sup.	*	*	*	*	*	*	*	*	*	*	*	*	*
360	" CASSIDIX, <i>Jard.</i> ...	pl. 39	*	*	*	*	*	*	*	*	*	*	*	*	*	*
361	" COCKERELLI, <i>Gould.</i> ...	pl. 43	*	*	*	*	*	*	*	*	*	*	*	*	*	*
362	" (<i>Xanthotis</i>) FILIGERA ...	321	*	*	*	*	*	*	*	*	*	*	*	*	*	*
363	STOMIOPERA UNICOLOR, <i>Gould.</i> ...	322	*	*	*	*	*	*	*	*	*	*	*	*	*	*
364	PLECTORHYNCHA LANCEOLATA, <i>Gould.</i> ...	323	*	*	*	*	*	*	*	*	*	*	*	*	*	*
365	MELIPHAGA PHRYGIA, <i>Lath.</i> ...	224	*	*	*	*	*	*	*	*	*	*	*	*	*	*
366	ENTOMOPHILA PICTA, <i>Gould.</i> ...	326	*	*	*	*	*	*	*	*	*	*	*	*	*	*

a—P. Z. S. 1866, p. 217.
b—P. Z. S. 1874, p. 603.

c—P. Linn. Soc. N.S.W., Jan. 25th, 1875, Vol. I, p. 10; Syn. *P. flavostriata*, *Gould*, P.Z.S. April, 1875, p. 315.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
367	(<i>Conopophila</i>) ALBOGULARIS, <i>Gould.</i>	327	*	*	*
368	(") RUFOGULARIS, <i>Gould.</i>	328	*	*	*
369	CERTHIONYX LEUCOMELAS, <i>Cuv.</i> .. <i>Entomophila picata</i> , <i>Gould.</i>	325	*	*	..	*	..	*	..
370	ACANTHOGENYS RUFOGULARIS, <i>Gould.</i>	329	*	*	*	*	..	*	..
371	ANTHOCLERA INAURIS, <i>Gould.</i> ...	330	*	..
372	" CARUNCULATA, <i>Lath.</i> ...	331
373	ANELLOBIA MELLIVORA, <i>Lath</i> ...	332	?	..	*	*	*	*	*	*	*	*	*	..
374	" LUNULATA, <i>Gould.</i> ...	333	*	..
375	PHILEMON CORNICULATUS, <i>Lath.</i> ...	334	*	*	*	*	*	*	*	*
376	" BUCEROIDES, <i>Swains</i> ...	335	..	*	*	*
377	" ARGENTICEPS, <i>Gould.</i> ...	336	*	*	*
378	" CITREOGULARIS, <i>Gould.</i> ...	337	..	?	*	*	*	*	*	*	*	*	*
379	" SORDIDUS, <i>Gould.</i>	338	*	*
380	ACANTHORHYNCHUS TENUIROSTRIS, <i>Lth.</i>	339	*	*	*	*	*	*
381	" SUPERCILIOSUS, <i>Gould.</i>	340	*	..
382	MYZOMELA SANGUINEOLENTA, <i>Lath.</i> ...	341	*	*	*	*	*	*	*	*
383	" ERYTHROCEPHALA, <i>Gould.</i>	342	*	*	*
384	" PECTORALIS, <i>Gould.</i> ...	343	*	*	*	*
385	" NIGRA, <i>Gould.</i> ...	344	*	*	*	*	*	..	*	..
386	" OBSCURA, <i>Gould.</i>	345	*	*	*	*	*	*	*	*	*	*	*
387	ENTOMYZA CYANOTIS, <i>Swainson</i> ...	346	..	?	..	*	*	*	*	*	*
388	" ALBIPENNIS, <i>Gould.</i> ...	346A	*	*	?
389	MELITHREPTUS VALIDIROSTRIS, <i>Gould.</i>	347	*	..
390	" BREVIROSTRIS, <i>V. & Hsf.</i>	a	*	*	*	*	*	*
391	" GULARIS, <i>Gould.</i> ...	348	*	*	*	..	*	*	*	*
392	" LUNULATUS, <i>Shaw.</i> ...	349	*	*	*	*	*	*
393	" CHLOROPSIS, <i>Gould.</i> ...	350
394	" ALBOGULARIS, <i>Gould.</i> ...	351	*	*	*	*	*	*	*
395	" MELANOCEPHALUS, <i>Gould.</i>	352	*	..

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dist.	N. S. Wales.	Interior	Victoria	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
396	MELITHREPTUS LÆTIOR, <i>Gould.</i> ...	a	*													
397	MYZANTHA GARRULA, <i>Lath.</i> ...	353					*	*	*	*	*	*	*	*	*	*
398	,, OBSCURA, <i>Gould.</i> ...	354														*
399	,, LUTEA, <i>Gould.</i> ...	355	*	*												
400	,, FLAVIGULA, <i>Gould.</i> ...	356	*	*						*	*	*	*	*	*	
401	MANORHINA MELANOPHRYS, <i>Lath.</i> ...	357					*	*	*	*	*	*	*	*	*	*
402	DICÆUM HIRUNDINACEUM, <i>Shaw.</i> ...	358	*	*	*	*	*	*	*	*	*	*	*	*	*	*
403	CINNYRIS FRENATA, <i>Müll.</i> ... (<i>Nectarinia australis</i> ; <i>Gould.</i>)	359		*	*	*	*	*	*	*	*	*	*	*	*	*
404	ZOSTEROPS CÆRULESCENS, <i>Lath.</i> ...	360				*	*	*	*	*	*	*	*	*	*	*
405	,, GOULDII, <i>Bp.</i> ...	361													*	
406	,, LUTEUS, <i>Gould.</i> ...	362	*	*												
407	,, RAMSAYI, <i>Masters</i> ...	b				*	?	?								
408	,, FLAVOGULARIS, <i>Masters.</i> ...	c		*		*	*	*	*	*	*	*	*	*	*	*
409	,, GULLIVERI, <i>Castl. & Rams.</i>	d		*												
410	PTILORIS PARADISEA, <i>Swains.</i> ...	363					*	*	*	*	*	*	*	*	*	*
411	,, VICTORIÆ, <i>Gould</i> ...	364				*										
412	(CRASPEDOPHORA) ALBERTI, <i>Gray.</i> ... (<i>C. magnifica</i> ; <i>Gray.</i>)	365		*												*
413	CLIMACTERIS SCANDENS, <i>Temm.</i> ...	366			*	*	*	*	*	*	*	*	*	*	*	*
414	,, RUFÆ, <i>Gould</i> ...	367														*
415	,, ERYTHROPS, <i>Gould</i> ...	368					*	*	*	*	*	*	*	*	*	*
416	,, MELANOTUS, <i>Gould</i> ...	369	*	*												
417	,, MELANURA, <i>Gould</i> ...	370	*	*												
418	,, LEUCOPHÆA, <i>Lath.</i> ...	371				*	*	*	*	*	*	*	*	*	*	*
419	,, PYRRHONOTA, <i>Gould</i> ...	e								*	*	*	*	*	*	*
420	ORTHONYX SPINICAUDUS, <i>Temm.</i> ...	372					*	*	*	*	*	*	*	*	*	*
421	,, SPALDINGI, <i>Ramsay.</i> ...	{			*											
422	SITTELLA CHRYSOPTERA, <i>Lath.</i> ...	373				*	*	*	*	*	*	*	*	*	*	*
423	,, (var.) TENUIROSTRIS, <i>Gould.</i> ...	f								*	*	*	*	*	*	*

a—Ann. & Mag. Nat. Hist., 4th Ser., Oct., 1875, p. 287.

b—P. L. S. of N. S. W., Vol. I., p. 56. *Hab.* Palm Island.

c—P. L. S., N. S. W., I., p. 56.

d—P. L. S., N. S. W., Vol. I, p. 333.

e—P. Z. S., 1867, p. 976.

f—*Gould Handbook* I, p. 610.† *Hab.* Islands in Torres Straits.‡ *Hab.* Lake Eyre.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
424	SITTELLA LEUCOCEPHALA, <i>Gould</i> ...	374	*	...	*	*
425	„ LEUCOPTERA, <i>Gould</i> ...	375	*	*
426	„ PILEATA, <i>Gould</i> ...	376	*	*	*	*	*	*	...
427	„ STRIATA, <i>Gould</i>	Supp. pl. 54	*	*	*
428	„ ALBATA, <i>Ramsay</i> ...	a	*	*
429	CUCULUS CANOROIDES, <i>Müll.</i> ... (<i>C. optatus</i> , <i>Gould.</i>)	377	*	*	*	*
430	CACOMANTIS PALLIDA, <i>Lath</i> ...	378	...	*	*	*	*	*	*	*	*	*	*	*	*	...
431	„ FLABELLIFORMIS, <i>Lath</i> ...	379	...	*	*	*	*	*	*	*	*	*	*	*	*	...
432	„ INSPERATUS, <i>Gould</i> ...	380
433	„ DUMETORUM, <i>Gould</i> ...	381	*	*	...	*
434	„ CASTANEIVENTRIS, <i>Gould</i> }	Supp. pl. 55.	...	*
435	MESOCALIUS PALLIOLATUS, <i>Lath.</i> (<i>Chalcites osculans</i> , <i>Gould.</i>)	382	...	*	*	*	*	*	*	*	...
436	CHALCITES PLAGOSUS, <i>Lath.</i> ...	383	*	*	*	*	*	*	*	*	*	*	*	*	*	*
437	„ BASALIS, <i>Horsf.</i> ...	385
438	„ MINUTILLUS, <i>Gould.</i> ...	384	*	*	*	*	*	*	*	*	*	*	*	*	*	...
439	„ RUSSATA, <i>Gould.</i>	*	*	*	*	*	*	*	*	*	*	*	...
440	SCYTHROPS NOVÆ-HOLLANDIÆ, <i>Lath.</i>	386	*	*	*	*	*	*	*	*	*	*	*	*	*	*
441	EUDYNAMIS CYANOCEPHALA, <i>Lath.</i> ... (<i>E. mindersi</i> , <i>Gould.</i>)	387	*	*	*	*	*	*	*	*	*	*	*	*	*	*
442	CENTROPUS PHASIANUS, <i>Lath.</i> ...	388	*	*	*	*	*	*	*	*	*	*	*	...
443	„ (<i>subsp. a.</i>) MACROURUS, <i>Gould.</i> ...	389	*	*	...	*
444	„ (<i>subsp. b.</i>) MELANURUS, <i>Gould.</i> ...	390	*	*
445	PLICTOLOPHUS (<i>Cacatua</i>) GALERITA, <i>Lath.</i> ...	391	*	*	*	*	*	*	*	*	*	*	*	*	*	†
446	„ (<i>Cacatua</i>) LEADBEATERI, <i>Vigors</i> ...	392	*	*	*	*	*	*	...
447	„ („) GOFFINII, <i>Finsch.</i> ...	b	?
448	„ („) SANGUINEUS, <i>Gould.</i> ...	393	*	*	*	*	*	*	*	*	*	*	...
449	„ („) GYMNOPSIS, <i>Sclater.</i> ...	c	*	*	*	?
450	„ (<i>Eolophus</i>) ROSEICAPILLA, <i>Vieill.</i> ...	394	*	*	*	*	*	*	*	*	*	...

a—P. Z. S., 1877, p. 351.

b—Finsch. Papag. 1 p., 308. Hab. Queensland (*Sclater*).

c—P. Z. S., 1871, p. 493.

†?—*C. triton. Tem.*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES	Species No. in Gould's Handbook to Birds of Australia or other References	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. Rr. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
451	LICMETIS NASICA, <i>Temm.</i> ... (<i>L. tenuirostris</i> , <i>Wagl.</i>)	395	*	*						*	*	*	*			
452	„ PASTINATOR, <i>Gould.</i> ...	396														*
453	CALLOCEPHALON GALEATUM, <i>Lath.</i> ...	405					*	*	*	*		*		*		
454	CALYPTORHYNCHUS BANKSII, <i>Lath.</i> ...	397			?		*	*	*	*	*					
455	„ STELLATUS, <i>Wagl.</i> ... (<i>C. macrorhynchus</i> , <i>Gould.</i>)	398	*	*	*	*										
456	„ (<i>subsp. a.</i>) NASO, <i>Gould.</i> ...	399													*	
457	„ SOLANDRI, <i>Temm.</i> ... (<i>C. leachii</i> , <i>Kuhl.</i>)	400			*	*	*	*	*	*	*	*	*			
458	„ FUNEREUS, <i>Shaw.</i> ...	401					*	*	*	*	*	*	*	*		
459	„ (<i>var.</i>) XANTHONOTUS, <i>Gould.</i> ...	402											*	*	*	
460	„ BAUDINII, <i>Vig.</i> ...	403											*	*	*	
461	MICROGLOSSUS ATERRIMUM, <i>Gmel.</i> ...	404			*										*	
462	„ (<i>var. a.</i>) GOLIATH, <i>Kuhl.</i> ...				*										*	
463	CALOPSITTACUS NOVÆ-HOLLANDIÆ, <i>Gmel.</i>	440	*	*			*	*	*	*	*	*	*	*	*	*
464	POLYTELIS BARRABANDI, <i>Swains.</i> ...	406							*	*	*	*	*	*	*	*
465	„ MELANURA, <i>Vigors.</i> ...	408							*	*	*	*	*	*	*	*
466	„ ALEXANDRÆ, <i>Gould.</i> ...	407			+				*	*	*	*	*	*	*	*
467	APROSMICTUS SCAPULATUS, <i>Bechst.</i> ...	409					*	*	*	*	*	*	*	*	*	*
468	„ (<i>Lus. nat.</i>) INSIGNISSIMUS, <i>Gould.</i>	a					*	*	*	*	*	*	*	*	*	*
469	„ (<i>Plistes</i>) ERYTHROPTERUS, <i>Gmel.</i> ...	410			?	*	*	*	*	*	*	*	*	*	*	*
470	„ („) COCCINEOPTERUS, <i>Gould.</i>	411	*	*	*											*
471	PLATYCERCUS BARNARDI, <i>Vig. & Horsf.</i>	412							*	*	*	*	*	*	*	*
472	„ SEMITORQUATUS, <i>Q. et Gaim.</i>	413													*	
473	„ ZONARIUS, <i>Shaw.</i> ...	414								*	*	*	*	*	*	*
474	„ PENNANTII, <i>Lath.</i> ...	415						*	*	*	*	*	*	*	*	*
475	„ ADELAISENSIS, <i>Gould.</i> ...	416							*	*	*	*	*	*	*	*
476	„ FLAVIVENTRIS, <i>Temm.</i> ...	417							*	*	*	*	*	*	*	*
477	„ FLAVEOLUS, <i>Gould.</i> ...	418							*	*	*	*	*	*	*	*
478	„ PALLIDICEPS, <i>Vig.</i> ...	419			?	*			*	*	*	*	*	*	*	*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. Rr. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
479	PLATYCERCUS AMATHUSÆ, <i>Bp.</i> (<i>P. cyanogenys</i> , Gould.)	420	*	*	*	*										
480	„ BROWNII, <i>Temm.</i> (<i>P. venustus</i> , G. R. Gray.)	421	*													
481	„ EXIMIUS, <i>Shaw</i> ...	422					*	*	*	*	*	*	*	*	*	*
482	„ (<i>var.</i>) SPLENDIDUS, <i>Gould.</i>	423					*	*	*	*	*	*	*	*	*	*
483	„ MASTERSIANUS, <i>Ramsay.</i>	a					*	*	*	*	*	*	*	*	*	*
484	„ IGNITUS, <i>Leadb.</i> ...	424	Vol. V, pl. 30.						*	*	*	*	*	*	*	*
485	„ ICTEROTIS, <i>Temm.</i> ...									*	*	*	*	*	*	*
486	„ SPURIUS, <i>Kuhl.</i> ... (<i>Purpureicephalus pileatus</i> , Vig.)	425													*	*
487	PSEPHOTUS HEMATOGASTER, <i>Gould</i> ...	426							*	*	*	*	*	*	*	*
488	„ (<i>var.</i>) XANTHORRHOS, <i>Gould.</i>	427							*	*	*	*	*	*	*	*
489	„ CHRYSOPTERYGIUS, <i>Gould.</i>	428	*	*												
490	„ PULCHERRIMUS, <i>Gould.</i> ...	429				*	*		*	*	*	*	*	*	*	*
491	„ MULTICOLOR, <i>Temm.</i> ...	430					*		*	*	*	*	*	*	*	*
492	„ HEMATONOTUS, <i>Gould.</i> ...	431					*		*	*	*	*	*	*	*	*
493	EUPHEMA VENUSTA, <i>Temm.</i> ... (<i>E. chrysostoma</i> , Kuhl.)	432							*	*	*	*	*	*	*	*
594	„ PULCHELLA, <i>Shaw.</i> ...	436					*	*	*	*	*	*	*	*	*	*
495	„ ELEGANS, <i>Gould.</i> ...	433					*	*	*	*	*	*	*	*	*	*
496	„ CHRYSOGASTRA, <i>Lath.</i> (<i>E. aurantia</i> , Gould.)	434					*	*	*	*	*	*	*	*	*	*
497	„ PETROPHILA, <i>Gould.</i> ...	435							*	*	*	*	*	*	*	*
498	„ SPLENDIDA, <i>Gould</i> ...	437							*	*	*	*	*	*	*	*
499	„ BOURKII, <i>Gould.</i> ...	438							*	*	*	*	*	*	*	*
500	MELOPSITTACUS UNDULATUS, <i>Shaw</i> ...	439	*						*	*	*	*	*	*	*	*
501	PEZOPORUS FORMOSUS, <i>Lath.</i> ...	441					*	*	*	*	*	*	*	*	*	*
502	(<i>Geopsittacus</i>) OCCIDENTALIS, <i>Gould.</i>	442					*	*	*	*	*	*	*	*	*	*
503	LATHAMUS DISCOLOR, <i>Shaw</i> ...	443					*	*	*	*	*	*	*	*	*	*
504	TRICHOGLOSSUS NOVÆ-HOLLANDIÆ, <i>Gml.</i> (<i>T. multicolor</i> , Gml.)	444	*	*	*	*	*	*	*	*	*	*	*	*	*	*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
505	TRICHOGLOSSUS RUBITORQUIS, <i>Vig. & H.</i>	445	*	*	*	*	*	*	*	*	*	*	*	*	*	*
506	„ CHLOROLEPIDOTUS, <i>Kuhl.</i>	446	*	*	*	*	*	*	*	*	*	*	*	*
507	(<i>Ptilosclera</i>) VERSICOLOR, <i>Vigors.</i>	447	*	*	*	*	*	*	*	*	*	*	*	*	*	*
508	(<i>Glossopsitta</i>) CONCINNUS, <i>Shaw.</i>	448	*	*	*	*	*	*	*	*	*	*	*	*
509	(„) PORPHYROCEPHALUS, <i>Dietr.</i>	449	*	*	*	*	*	*	*	*	*	*	*	*
510	(„) PUSILLUS, <i>Shaw.</i>	450	*	*	*	*	*	*	*	*	*	*	*	*
511	CYCLOPSITTA COXENII, <i>Gould.</i>	...	{	Supp.
512	„ MACLEAYANA, <i>Ramsay.</i> (<i>C. Maccoyi</i> , <i>Gould.</i> †)	...	a	...	*
513	PTILINOPUS SWAINSONII, <i>Gould.</i>	451	*	*	*	*	*	*	*
514	„ EWINGII, <i>Gould.</i>	452	*
515	„ SUPERBUS, <i>Temm.</i> (<i>P. porphyrostrictus</i> , <i>Gould.</i>)	453	*	...	*	*	*	*	*	*	*
516	MEGALOPREPIA MAGNIFICA, <i>Temm.</i>	454	*	*	*	*	*	*
517	„ (var.) ASSIMILIS, <i>Gould.</i>	455	*	*
518	CARPOPHAGA NORFOLCIENSIS, <i>Lath.</i>	456	*	*	*	*	*	*
519	„ SPILORRHOA, <i>G.R. Gray.</i>	457	*	...	*	*	*	*	*	*	*
520	LOPHOLAIMUS ANTARCTICUS, <i>Shaw.</i>	458	*	*	*	*	*	*
521	CHALCOPHAPS CHRYSOCHLORA, <i>Wagl.</i>	459	*	...	*	*	*	*	*	*
522	„ (subsp. a.) LONGIROSTRIS, <i>Gould.</i>	460	*	...	*
523	LEUCOSARCIA PICATA, <i>Lath.</i>	461	*	*	*	*	*	*
524	PHAPS CHALCOPHTERA, <i>Lath.</i>	462	*	...	*	*	*	*	*	*
525	„ ELEGANS, <i>Temm.</i>	463	*	*	*	*
526	„ HISTRIONICA, <i>Gould.</i>	464	*	*	*
527	GEOPHAPS SCRIPTA, <i>Temm.</i>	465	*	*	*	*	*	*
528	„ SMITHII, <i>Jard. & Selb.</i>	466	*
529	LOPHOPHAPS PLUMIFERA, <i>Gould.</i>	467	*
530	„ FERRUGINEA, <i>Gould.</i>	468
531	„ LEUCOGASTER, <i>Gould.</i>	...	{	Supp.
532	OCYPHAPS LOPHOTES, <i>Temm.</i>	469	*	...	*	*	*	*	*

a—M. Syd. Herald, Nov. 15, 1874. P. Z. S., 1875, p. 602. † P. Z. S., April, 1875, p. 314; = *C. leadbeateri*, McCoy, Ann. & Mag of Nat. Hist., July, 1875, (4), XVI, p. 54.

b—Ann. & Mag. Nat. Hist., 1874, (4), No. 74, p. 137. (See Remarks,)

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia or Other References.	Localities														
			Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.	
533	PETROPHASSA ALBIPENNIS, <i>Gould.</i> ...	470	*?	†	...
534	ERYTHRAUCHENA HUMERALIS, <i>Temm.</i>	471	*	*	...	*	*	*	*	*	...	*	*
535	GEOPHELIA TRANQUILLA, <i>Gould.</i> ...	472	*	*	*	*	*	*	...	*
536	,, PLACIDA, <i>Gould.</i> ...	473	*	*	...	*	*
537	,, (<i>Stictopelia</i>) CUNEATA, <i>Lath</i> ...	474	*	*	*	*	*	*	*	...
538	MACROPYGIA PHASIANELLA, <i>Temm.</i> ...	475	*	*	*	*	*	...	*	?
539	TALEGALLUS LATHAMI, <i>Gray.</i> ...	476	*	*	*	*	*	*
540	LEIPOA OCELLATA, <i>Gould.</i> ...	477	*	...	*	*	*	*	*	...
541	MEGAPODIUS TUMULUS, <i>Gould.</i> ...	478	*	*	*	*	*
542	,, ASSIMILIS, <i>Masters.</i> ...	a	*†
543	TURNIX MELANOGASTER, <i>Gould.</i> ..	479
544	,, VARIUS, <i>Lath.</i> ...	480	*	*	*	*	*	...	*	*	*	*	*	...
545	,, SCINTILLANS, <i>Gould.</i> ...	480A	*
546	,, MELANOTUS, <i>Gould.</i> ...	481	*	...	*	*	*	...	*
547	,, CASTANOTUS, <i>Gould.</i> ...	482	*
548	,, VELOX, <i>Gould.</i> ...	483	*	*	*	*	*	*	*	*	*
549	,, PYRRHOTHORAX, <i>Gould.</i> ...	484	...	*	*	*	*	*	*	*	*	*	*	...
550	PEDIONOMUS TORQUATUS, <i>Gould.</i> ...	485	*	...	*	*	*	*	*	...
551	COTURNIX PECTORALIS, <i>Gould.</i> ...	486	*	*	*	*	*	...	*	*	*	*	*	...
552	SYNOICUS AUSTRALIS, <i>Lath.</i> ...	487	...	* ⁹	* ⁹	*	*	*	*	*	...	*	*	*	*	*	...
553	,, DIEMENENSIS, <i>Gould.</i> ...	488	*
554	,, SORDIDUS, <i>Gould.</i> ...	489
555	,, CERVINUS, <i>Gould.</i> ...	490	*	*	*	*
556	EXCALFATORIA AUSTRALIS, <i>Gould.</i> ...	491	*	*	*	*	*	...	*	*	*	*	*	* ⁹
557	DROMAIUS NOVÆ-HOLLANDIÆ, <i>Lath</i> ...	492	* ⁹	* ⁹	*	*	*	*	*	*	...	*	*	*	*	*	* ⁹
558	,, IRRORATUS, <i>Bartlett.</i> ...	493	* ⁹	* ⁹	* ⁹	*
559	CASUARIUS AUSTRALIS, <i>Wall.</i> ...	494	*	*
560	EUPODOTIS AUSTRALIS, <i>Gray</i> ...	495	*	*	*	*	*	...	*	*	*	*	*	...
561	EDICNEMUS GRALLARIUS, <i>Lath.</i> ...	496	* ⁹	* ⁹	*	*	*	*	*	*	...	*	*	*	*	*	...
562	ESACUS MAGNIROSTRIS, <i>Geoff.</i> ...	497	*	*	*	*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
563	HÆMATOPUS LONGIROSTRIS, <i>Viell.</i> ...	498	*	*	*	*	*	*	*	*	*	*	*	*	*	*
564	„ UNICOLOR, <i>Wagl.</i> ... (<i>H. fuliginosus</i> , Gould.)	499	*	*	*	*	*	*	*	*	*	*	*	*	*	*
565	„ OPTHALMICUS, <i>Castl. & Rams.</i>	a	...	*
566	LOBIVANELLUS LOBATUS, <i>Lath.</i> ...	500	*	*	*	*	*	*	*	*	*	*	*	*
567	„ MILES, <i>Bodd,</i> ... (<i>L. personatus</i> , Gould.)	501	*	*	*	* ²	*
568	SARCIOPHORUS PECTORALIS, <i>Cuv.</i> ...	502	*	*	*	*	*	*	*	*	*	*	*
569	CHARADRIUS LONGIPES, <i>Temm.</i> ... <i>C. pluvialis orientalis</i> , Temm.	504	*	*	*	*	*	*	*	*	*	*	*	*	*	*
570	„ (<i>Squatarola</i>) HELVETICA, <i>Linn.</i>	503	*	* ²	*	*	*	*	*	*	*	*
571	EUDROMIAS AUSTRALIS, <i>Gould.</i> ...	505	*	*	*	*	*	*	*	*
572	„ VEREDUS, <i>Gould.*</i> ...	506	*	* ²	...	*	*	*	*	*	*	*	*	*
573	ÆGIALITIS GEOFFROYI, <i>Wagler.</i> ... <i>Hiaticula inornata</i> , Gould.†	511	*	*	*	*	*	*	*	*	*	*	*	*	*	*
574	„ MONGOLUS, <i>Pallas.</i> ... <i>Hiaticula inornata</i> , Gould.‡	b	*	*	*
575	„ MASTERSI, <i>Ramsay</i> ...	c	...	*
576	„ BICINCTUS, <i>Jard. & Selb.</i> ...	512	...	*	*	*	*	*	*	*	*	*	*	*	*	*
577	„ MONARCHUS, <i>Geoff.</i> ...	508	*	*	*	*	*	*	*	*	*
578	„ NIGRIFRONS, <i>Cuv.</i> ...	509	*	*	*	*	*	*	*	*	*	*	*
579	„ HIATICULA, <i>Linn.</i> ...	507	*	*	*	*	*	*	*	*
580	„ RUFICAPILLUS, <i>Temm.</i> ...	510	*	*	*	*	*	*	*	*	*	*	*	*	*	*
581	ERYTHROGONYNS CINCTUS, <i>Gould.</i> ...	513	...	*	*	*	*	*	*	*	*	*
582	TOTANUS STAGNATILIS, <i>Temm.</i> ...	530	*	*	*	*	*	*	*	*	*
583	„ BREVIPES, <i>Cuv.</i> ... (<i>T. griseopygius</i> , Gould.)	531	...	*	*	*	*	*	*	*	*	*	*	*	*	*
584	ACTITIS HYPOLEUCOS, <i>Linn.</i> ...	528	*	*	*	*	*	*	*	*	*	*	*	*	*	*
585	ACTITURUS BARTRAMIUS, <i>Wilson.</i> ...	514	*	*	*	*	*	*	*	*
586	CINCLUS INTERPRES, <i>Linn.</i> ...	532	*	*	*	*	*	*	*	*	*	*	*	*	*	*
587	TRINGA CANUTUS, <i>Linn.</i> ...	525	*	*	*	*	*	*	*	*
588	„ TENUIROSTRIS, <i>Horsf.</i> ...	526	*	*	*	*	*	*	*	*	*	*	*	*	*	*

a—P. L. S. of N. S. W. I. pp. 384, 385.

* *E. veredus*, Gould, is not identical with *E. asiaticus*, Pallas. See *Ibis*, 1870; p. p. 201, 213.

† Gould. Bds. Aust. VI, pl. 19; larger fig.

‡ Gould. Bds. Aust. VI, pl. 19; smaller fig.

b—Harting, *Ibis*, 1870, p. 384, sp. 6.

c—P. L. S. of N. S. W., vol. I, p. 135.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
589	TRINGA (<i>Terekia</i>) CINEREA, <i>Gmel.</i> ...	527	*	...	*
590	,, (<i>Scheniclus</i>) ALBESCENS, <i>Temm.</i> (<i>Calidris australis</i> , <i>Cuv.</i>)	524	*	*	*	*	...	*	*	*	*	*	*	*
591	,, (,,) SUBARQUATA, <i>Gmel.</i>	523	*	*	*	*	*	*	*	*	*	*
592	,, (<i>Limnocinclus</i>) ACUMINATA, <i>Horsf.</i>	522	*	*	*	*	*	*	*	*	*	*	*	*
593	GLAREOLA GRALLARIA, <i>Temm.</i> ...	515	*	*	*
594	,, ORIENTALIS, <i>Leach.</i> ...	516	*
595	RECURVIROSTRA RUBRICOLLIS, <i>Temm.</i>	519	*	*	*	*	*	*	*	*	*	..
596	CLADORHYNCHUS PECTORALIS, <i>Dubus.</i>	518	*	*	...	*	*	*	..
597	HIMANTOPUS LEUCOCEPHALUS, <i>Gould.</i>	517	*	*	...	*	*	*	*	*	*	*	*	...
598	LIMOSA MELANUROIDES, <i>Gould.</i> ...	520	*	*	*
599	,, UROPYGIALIS, <i>Gould.</i> ...	521	*	*	*	*	*	*	*	*	*	*	*	...
600	GLOTTIS GLOTTOIDES, <i>Linn.</i> ...	529	*	*	*	*	*	*	*	*	*	*	*	...
601	GALLINAGO AUSTRALIS, <i>Lath.</i> ...	533	*	*	*	*	...
602	RHYNCHÆA AUSTRALIS, <i>Gould.</i> ...	534	*	*	*	*	...
603	NUMENIUS CYANOPUS, <i>Vieill.</i> ...	535	*	*	*	*	*	*	*	*	*	*	*	*
604	,, UROPYGIALIS, <i>Gould.</i> ...	536	*	*	*	*	*	*	*	*	*	*	*	*
605	,, MINOR, <i>Schleg.</i> ...	537	*	*	*	*	...
606	IBIS FALCINELLUS, <i>Linn.</i> ...	540	*	*	*	*	*	*	*	*	*	*	*	...
607	GERONTICUS SPINICOLLIS, <i>Jameson.</i> ...	538	*	*	...	*	*	*	*	*	*	*	*	...
608	THRESKIORNIS STRICTIPENNIS, <i>Gould.</i>	539	*	*	*	*	*	*	*	*	*	...
609	PLATALEA MELANORHYNCHA, <i>Reich</i> ... <i>P. regia</i> , <i>Gould.</i>	541	...	*	*	*	*	*	...
610	,, FLAVIPES, <i>Gould.</i> ...	542	*	*	*	*	...
611	GRUS AUSTRALASIANUS, <i>Gould.</i> ...	543	...	*	...	*	*	*	*	*	*	*	*	...
612	MYCTERIA AUSTRALIS, <i>Lath.</i> ...	544	*	*	*	*	*	*	*	*	*
613	ARDEA CINEREA, <i>Linn.</i> ...	545	*	*	*	*	...
614	,, SUMATRANA, <i>Raffl.</i> ...	546	*	*	*	*	*	*
615	,, PACIFICA, <i>Lath.</i> ...	547	*	*	...	*	*	*	*	*	*	*	*	...
616	,, NOVÆ-HOLLANDIÆ, <i>Lath.</i> ...	548	*	*	*	*	*	*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dist.	N. S. Wales.	Interior	Victoria	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
617	HERODIAS ALBA, <i>Linn.</i>	549	*	*	*	*	*	*	*	*	..	*	*	*	*	*
618	„ INTERMEDIA, <i>v. Hasselq</i> . . . (<i>H. plumiferus</i> , <i>Gould.</i>)	550	+	*	*	*	*	*	*	*	..	*	*	*	*	*
619	„ MELANOPUS, <i>Wagl.</i> (? <i>A. garzetta</i> , <i>Linn.</i>)	551	*	*	*	*	*	*	*	*	..	*	..	*	*	*
620	„ GARZETTA, <i>Linn.</i> (<i>H. immaculatus</i> , <i>Gould.</i>)	552	*	●	*	*	*	*
621	„ PICATA, <i>Gould.</i>	554	*	*
622	DEMEGRETТА SACRA, <i>Gmel.</i>	555	*	*	*	*
	<i>D. greyi</i> , <i>Gray</i> ; <i>D. jugularis</i> , <i>Forst.</i>	556
623	„ ASHA, <i>Sykes.</i>	553	*	●
624	NYCTICORAX CALEDONICUS, <i>Lath.</i>	557	*	*	*	*	*	*	*	*	..	*	*	*	*	*
625	BOTAURUS POICILOPTERUS, <i>Wagl.</i>	558	*	*	*	*	*	..	*	*	*	*	*
626	BUTOROIDES FLAVICOLLIS, <i>Lath.</i>	559	*	●	●	*	*	*	*	*	..	*	*	*	*	*
627	„ MACRORHYNCHA, <i>Gould.</i>	560	*	*	*	*
628	„ JAVANICA, <i>Horsf.</i>	561	*	*	*	*	*	*	*	*
629	ARDETTA MINUTA, <i>Linn.</i> (<i>A. pusilla</i> , <i>V.</i>)	562	*	*	*	*	*	*	..	*
630	PORPHYRIO MELANOTUS, <i>Temm.</i>	563	*	*	*	*	*	*	*	*	*	*	*	*
631	„ BELLUS, <i>Gould.</i>	564
632	TRIBONYX MORTIERI, <i>DuBus.</i> †	565	*	*	*	*
633	„ VENTRALIS, <i>Gould.</i>	566	..	*	*	*	*	*	..	*	*	*	*	*
634	GALLINULA TENEBROSA, <i>Gould.</i>	567	*	..	●	*	*	..	*	*	*	*	*
635	„ RUFICRISSA, <i>Gould.</i>	568	*	*	*	*	..	*	*	*	*	*
636	FULICA AUSTRALIS, <i>Gould.</i>	568	..	*	*	*	*	*	..	*	*	*	*	*
637	PARRA GALLINACEA, <i>Temm.</i> ‡	569	*	*	*	*	*	*	*	*
638	HYPOTÆNIDIA PHILIPPENSIS, <i>Linn.</i>	570	*	*	*	*	*	*	*	*	*	*	*	*	*	*
639	„ (<i>Lewinia</i>) BRACHIPUS, <i>Swains.</i>	571	*	*	*	*	..	*	*	*	*	*
640	RALLINA TRICOLOR, <i>Gray.</i>	572	*	*	*
641	EULABEORNIS CASTANEIVENTRIS, <i>Gld.</i> }	573	*
642	PORZANA FLUMINEA, <i>Gould.</i>	573	*	*	*	*	..	*	*	*	*	*

† *T. gouldii*, Selater.

‡ ? *cristata*, *V.*

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
643	PORZANA PALUSTRIS, <i>Gould</i>	574	*	*	*	...	*	*	*	*	...
644	„ TABUENSIS, <i>Gmel</i>	575	*	*	*	*	*	...	*	*	*	*	...
645	„ CINEREUS, <i>Viell</i>	576	*	...	*	*	*	*
	(<i>P. quadririgata</i> , <i>Horsf</i> .)															
646	CYGNUS ATRATUS, <i>Lath</i>	577	*	*	*	*	*	...	*	*	*	*	...
647	CEREOPSIS NOVÆ-HOLLANDIÆ, <i>Lath</i> ...	578
648	ANSERANAS MELANOLEUCA, <i>Lath</i>	579	*	*	...	*	*	*	*	*	...	*	*	*	*	...
649	BRANTA (<i>Chlamydochen</i>) JUBATA, <i>Lath</i> .	580	*	*	*	*	*	...	*	*	*	*	...
650	NETTAPUS PULCHELLUS, <i>Gould</i>	581	*	*	*	*
651	„ ALBIPENNIS, <i>Gould</i>	582	*	*	*	*	*	...	*	*	*	*	...
652	TADORNA RADJAH, <i>Garnot</i>	583	*	*	...	*	*	*	*	*	...	*	*	*	*	...
653	CASARCA TADORNOIDES, <i>Jard</i>	584	*	*	*	*	...
654	DENDROCYGNA VAGANS, <i>Eyton</i> . ..	591	...	*	*	*	*	*	*	*	...	*	*	*	*	*
	(<i>D. gouldi</i> , <i>Bp</i> .)															
655	„ (<i>Leptotarsus</i>) EYTONI, <i>Gould</i> ...	592	...	*	*	*	*	*	*	*	...	*	*	*	*	...
656	STICTONETTA NÆVOSA, <i>Gould</i>	587	*	*	*	*	...
657	ANAS SUPERCILIOSA, <i>Gmel</i>	585	*	*	*	*	*	*	*	*	...	*	*	*	*	...
658	„ (<i>Virago</i> *) CASTANEA, <i>Eyton</i>	586	*	*	*	*	*	...	*	*	*	*	*
	(<i>A. punctata</i> , <i>Cuv</i> .)															
659	SPATULA RHYNCHOTIS, <i>Lath</i>	588	*	*	*	...	*	*	*	*	...
660	„ CLYPEATA, <i>Linn</i>	589
661	MALACORHYNCHUS MEMBRANACEUS, <i>Lh</i> .	590
		
662	NYROCA AUSTRALIS, <i>Gould</i>	593	*	*	*	*	...
663	ERISMATURA AUSTRALIS, <i>Gould</i>	594	*	*	*	*	...
664	BIZIURA LOBATA, <i>Shaw</i>	595	*	*	...	*	*	*	*	...
665	PODICEPS, CRISTATUS, <i>L</i> .															
	(<i>subsp</i> .) AUSTRALIS, <i>Gould</i>	665	*	*	*	...	*	*	*	*	...
666	„ NESTOR, <i>Gould</i>	666	*	*	*	...	*	*	*	*	...
667	„ NOVÆ-HOLLANDIÆ	667	*	*	*	...	*	*	*	*	...
	(<i>P. gularis</i> , <i>Gould</i> .)															

* Newton, P. Z. S., 1871, p. 65.

† Gould, Handbook, p. 370.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES	Species No. in Gould's Handbook to Birds of Australia or other References	Geographical Distribution													
			Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. Rr. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
668	CATARRACTES CHRYSOCOME, <i>Lath.</i> ... (<i>Chrysocome catarractes</i> , <i>Gmel.</i>)...	668	...	*	*	*
669	EUDYPTULA MINOR, <i>Forst.</i> ...	669	*	*
670	,, UNDINA, <i>Gould.</i> ...	670	*
671	LARUS PACIFICUS, <i>Lath.</i> ...	596	*	*	*	*	*	...	*	*	*	*	*
672	,, (<i>Xema</i>) NOVÆ-HOLLANDIÆ, <i>Steph.</i> (<i>X. jamesonii</i> , <i>Gould.</i>)	597	*?	*	*	*	*	...	*	*	*	*	*
673	,, (,,) GOULDII, <i>Bp.</i> ...	598	*	*	*
674	,, (,,) LONGIROSTRIS, <i>Masters</i> ...	a	*	*
675	STERCORARIUS ANTARCTICUS, <i>Less.</i> ...	599	d	*	*	*	*	*	...	*	*	*	*	*
676	HYDROCHELIDON HYBRIDA, <i>Pall.</i> ... (<i>H. fluviatilis</i> , <i>Gould.</i>)	610	...	*	...	*	*	*	*	*	...	*	*	*	*	*
677	STERNA CASPIA, <i>Pall.</i> ...	600	...	*	*	*	*	*	*	*	...	*	*	*	*	*
678	,, ANGLICA, <i>Mont.</i> ... (<i>Gelochelidon macrotarsa</i> , <i>Gould.</i>)	608	*	*	*	*	*	...	*	*	*	*	*
679	,, MEDIA, <i>Horsfield.</i> ... (<i>Thalasseus bengalensis</i> , <i>T. torresii</i> , <i>Gd.</i>)	603	*	*	*
680	,, BERGII, <i>Licht.</i> ... <i>pelecanooides</i> , <i>King</i> ; <i>poliocercus</i> , <i>Gould.</i>	{ 601 602	*	*	*	*	*	*	*	*	...	*	*	*	*	*
681	,, DOUGALLI, <i>Mont.</i> ... (<i>S. gracilis</i> , <i>Gould.</i>)	605	*	*	*
682	,, FRONTALIS, <i>Gray.</i> ... (<i>S. melanorhyncha</i> , <i>Gould.</i>)	604	*	*	*	*	*	*	...	*	*	*	*	*
683	,, MELANAUCHEN, <i>Temm.</i> ...	606	*	*	*	*	*
684	,, ANÆSTHETA, <i>Scop.</i> ... (<i>Onychoprion panayensis</i> , <i>Gould.</i>)	612	*	*	*	*	*	*	*	*	...	*	*	*	*	*
685	,, NIGRIFRONS, <i>Masters.</i> ...	b	*	*†	*
686	,, FULGINOSA, <i>Gmel.</i> ...	611	*	*	*	*	*	*	*	*
687	STERNULA NEREIS, <i>Gould.</i> ...	607	*	*	*	*	*
688	,, SINENSIS, <i>Gmel.</i> ... (<i>S. placens</i> , <i>Gould.</i>)	c	...	*	*	*	*	*	*	*	*
689	,, INCONSPICUA, <i>Masters.</i> ...	d	*
690	GYGIS CANDIDA, <i>Gmel.</i> ...	609	*	...	*	*	*

a—P. L. S., N. S. W., II, p. 113.

b—P. L. S., N. S. W., I, p. 62.

c—*Gould*, *Ann. & Mag. Nat. Hist.*, (4), VIII, p. 192.

d—P. L. S., N. S. W., I, p. 63.

†—Caught in Long. 119° E., Lat. 1853' S.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

	NAME OF SPECIES.	Species No. in Gould's Handbook to Birds of Australia, or Other References.	Geographical Distribution													
			Pt. Dar. & Pt. Essing.	Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. Rr. Dist.	N. S. Wales.	Interior.	Victoria.	South Australia.	Tasmania.	West Australia.	S. Coast N. Guinea.
691	ANOUS STOLIDUS, <i>Lin.</i>	613	*	*	*	*	*	*	*	*	*	*	*	*	*	*
692	„ TENUIROSTRIS, <i>Temm.</i> (<i>A. melanops</i> , Gould.)	614	*	*	*	...	*	...	*	*	*
693	„ MELANOGENYS, <i>Gray</i>	a	*	*
694	„ LEUCOCAPILLUS, <i>Gould</i>	615	*	...	*	*	*
695	„ CÆRULEUS, <i>F. D. Bennett</i>	616	*	*
	(<i>Anous cinereus</i> , Gould.)															
696	DIOMEDEA EXULANS, <i>Lin.</i>	617	*	...	*	...	*	*	*
697	„ BRACHYURA, <i>Temm.</i>	618	†	*
698	„ CAUTA, <i>Gould</i>	619	*	*
699	„ MELANOPHRYS, <i>Temm.</i>	622	*	*	...	*	...	*	*	*	*
700	„ CULMINATA, <i>Gould</i>	620	*	...	*	...	*	*	*
701	„ CHLORORHYNCHA, <i>Gmel.</i>	621	*	...	*	...	*	*	*
702	„ (<i>Phœbetria</i>) FULIGINOSA, <i>Gmel.</i>	623	*	...	*	...	*	*	*
703	FULMARUS (<i>Ossifraga</i>) GIGANTEUS, <i>Gm.</i>	624	*	...	*	...	*	*	*
704	„ (<i>Majaqueus</i>) CONSPICILLATUS, <i>Gd.</i>	625	*	...	*	...	*	*	*
705	„ (<i>Adamastor</i>) GELIDUS, <i>Gmel.</i>	626	*	...	*	...	*	*	*
	(<i>A. cinerea</i> , Gould.)															
706	PTERODROMA MACROPTERA, <i>Smith</i>	627	*	...	*	...	*	*	*
707	„ ATLANTICA, <i>Gould</i>	628	*
708	„ SOLANDRI, <i>Gould</i>	629	*	*
709	„ (<i>Æstrelata</i>) LESSONI, <i>Garn.</i>	630	*	*
	(<i>P. leucocephala</i> , Forst.)															
710	„ („) MOLLIS, <i>Gould</i>	631	?
711	„ („) LEUCOPTERA, <i>Gould</i>	632	*	...	*	...	*	*	*	*
712	„ („) COOKII, <i>G. R. Gr.</i>	633	*	...	*	...	*	*	*	*
713	„ (<i>Halobana</i>) CÆRULEA, <i>Gmel.</i>	634	*	...	*	...	*	*	*
714	PUFFINUS NUGAX, <i>Sol.</i>	635	*	...	*	...	*	*	*	*
	(<i>P. assimilis</i> , Gould.)															
715	„ (<i>Nectris</i>) BREVICAUDUS, <i>Brandt</i> .	636	*	...	*	...	*	*	*	*
716	„ (<i>Nectris</i>) CARNEIPES, <i>Gould</i>	637	†	*

a—*Gen. Bds.*, III, p. 661, pl. 182; see *P. Z. S.*, 1876, p. 670.

† North Australia. ? *Gould*.
‡ North-East Coast.

LIST OF AUSTRALIAN BIRDS,
(Continued.)

NAME OF SPECIES.		Species No. in Gould's Handbook to Birds of Australia, or Other References.	Pt. Dar. & Pt. Essing- Gulf of Carpentaria.	Cape York.	Rockingham Bay.	Port Denison.	Wide Bay District.	Rich. & Clar. R. Dis.	N. S. Wales.	Interior.	Victoria.	South Australia	Tasmania.	West Australia.	S. Coast N. Guinea.
717	PUFFINUS SPHENURUS, <i>Gould.</i> ...	638	*	*
718	FULMAREUS GLACIALOIDES, <i>Smith.</i> ...	639	*	*
719	DAPTION CAPENSIS, <i>Linn.</i> ...	640	*	*
720	PRION TURTUR, <i>Smith.</i> ...	641	*	*
721	,, ARIEL, <i>Gould.</i> ...	642	*	*
722	,, BANKSII, <i>Smith.</i> ...	643	*	*
723	,, VITTATA, <i>Forst.</i> ...	644	*	*
724	PROCELLARIA NEREIS, <i>Gould.</i> ...	645	*	*
725	,, (<i>Oceanites</i>) OCEANICA, <i>Banks.</i> ...	646	*	*
726	,, (<i>Fregetta</i>) MELANOGASTER, <i>Gould.</i> ...	647	*	*
727	,, (<i>Pelagodroma</i>) GRALLARIA, <i>Vieill.</i> ...	648	*	*
728	,, (,,) FREGATA, <i>Linn.</i> ...	649	*	*
729	PELECANOIDES URINATRIX, <i>Gmel.</i> ...	650	*	*
730	PHAETON ÆTHEREUS, <i>Linn.</i>	*	*
731	,, RUBRICAUDA, <i>Bodd.</i> ... (<i>P. phœnicurus</i> , <i>Gmelin.</i>)	660	*	...	*	*	*
732	PLOTUS NOVÆ-HOLLANDIÆ, <i>Gould.</i> ...	657	*	...	*	*	*
733	SULA SERRATOR, <i>Banks.</i> ...	661	*	*
734	,, CYANOPS, <i>Sundev.</i> ...	662	*	...	*	*
735	,, FIBER, <i>Linn.</i> ...	663	*	...	*	*
736	,, PISCATOR, <i>Linn.</i> ...	664	*	...	*	*
737	GRACULUS NOVÆ-HOLLANDIÆ, <i>Steph.</i> ...	652	*	*
738	,, VARIUS, <i>Gm.</i> ...	653	*	*
739	,, LEUCOGASTER, <i>Gould.</i> ...	654	*	*
740	,, MELANOLEUCUS, <i>Vieill.</i> ...	655	*	*
741	,, STICTOCEPHALUS, <i>Bp.</i> ...	656	*	*
742	PELECANUS CONSPICILLATUS, <i>Temm.</i> ...	657	*	...	*	*	*
743	ATAGEN (<i>Tachypetes</i>) ACQUILUS, <i>Linn.</i> ...	658	*	...	*	*	*
744	,, MINOR, <i>Gmel.</i> ...	659	*	...	*	*	*

Sea Birds recorded in Gould's Handbook, from "Queensland," are noted in the "Wide Bay" column.

REMARKS ON FOREGOING LIST OF AUSTRALIAN BIRDS.

The authority refers to the species name only.—The first column indicates the No. of the species in this list, for future reference; the *third*, the No. of the species in Gould's Handbook, or references to other works; the remainder show the distribution of the different species over Australia; the last to the South portion of New Guinea, and has been compiled from collections made at Yule Island, Katow, Port Moresby, Fly River and China Straits, &c., by D'Albertis, Goldie, the Macleay Expedition, Pettard and Broadbent, and the Revs. Messrs. McFarlane and Lawes. Since the publication of Mr. Gould's Handbook in 1865, the territorial boundaries of the different colonies have altered considerably, so that the range of the different species can be but indefinitely expressed by such wide terms as "Victoria," "Queensland," "New South Wales," &c.; large portions of the country formerly known as N. S. W., now belong to Queensland; and many other changes have taken place. I have therefore given the particular localities in which most of our large collections have been made, purposely to show the spread of certain species. In instances, where the particular species has not to my knowledge been obtained in these localities, a more comprehensive habitat, as the names of the Colonies in which they are found, has been resorted to.

Where any confusion through the choice of names is likely to occur, that previously in use among Australian ornithologists has been given in italics.

The small sketch map accompanying this list shows the boundaries of the Colonies as they now stand, and the position of the other localities mentioned.

The number of species enumerated in Mr. Gould's Handbook as inhabiting Australia in 1865 was 672 in all. This number has been increased of late years by the discoveries of new species, and by occasional visitors from other countries, to 744, most of which are enumerated from North-east Australia or Queensland.



AUSTRALIA

110

115

120

125

130

135 Long

140

East 145 Green

150

160

10

15

20

25

30

35

40

7

indi
 the
 refe
 of t
 port
 mac
 Chi
 Pett
 Law
 186.
 alter
 can
 "Qu
 cour
 and
 give
 colle
 certa
 to m
 preh
 are f

W

occu
 been

Th

darie
 the c

Th

as in
 been
 by oc

are enumerated from north-east Australia or Queensland.

But while not a few new species have been brought to light, we find only one strictly *new genus*—that of *Scenopæus*, belonging to the family of *Bower-builders*, among which may also be included the “Satin bird” *Ptilonorhynchus*; *Ailurædus*, *Chlamydodera* and the “Regent bird” *Sericulus melinus*.

Our knowledge of the range of many species, previously known, only from the locality in which they were first discovered, has been of late years, greatly augmented, by collections made by Messrs. Masters, Spalding, Thorpe, Rainbird, Pettard, and Broadbent; during my own excursions in North East Australia, I was enabled to identify, nearly three hundred species from the vicinity of Rockingham Bay alone, which, from the diversified nature of its Flora, and style of country in general, is perhaps the richest district in Australia; it is the only part of Northern Queensland, the scrubs of which at all approach, to those rich brushes or scrubs of the Richmond River.

Small collections have been recently made at the Gulf of Carpentaria, and surrounding districts, by Messrs. Broadbent, Gulliver, and Inspector Armit; but little or nothing has been added to our knowledge of the avifauna of the interior or North West Coast. One of Mr. Macleay’s collectors, Edward Spalding, has done good work at Port Darwin, but as yet I am only aware of one *new species* having been obtained there. From Western Australia, since the publication of Mr. Gould’s Hand-book, not a single new species peculiar to that region, has been obtained.

As yet I have not seen the following, but judging from the descriptions alone, given in a newspaper report, of a paper read before the Philosophical Society of Queensland, I regret to say, they appear to me to have been all previously described. *Acanthiza flavigaster*, (*Diggles*) = *Gerygone albogularis*, (*Gould*). *Cuculus brisbanensis*, (*Diggles*) = young of *Cuculus optatus*, (*Gould*), (*C. canoroides*, *Mull*). *Lamprococeyx modesta*, (*Diggles*) = young of *L. basalis*. *Milvus striatus*, (*Diggles*) = *Henicopernis longicauda*, the *Falco longicauda* of Garnot.*

* Mr. Diggles has kindly forwarded me the description and a drawing of his bird, which leaves no doubt in my mind as to its identity.

Eulabeornis griseoventris, Diggles. *Cinnyris aspasixæ*, *Ceyx solitarius*, with *Henicopernis longicauda*, are said to have been obtained near Cape York, but are of doubtful origin. Mr. Cockerell's large collection was made at the Aru Islands, where these species were probably collected. We must have therefore, some more authentic proof of their being obtained on the Australian Continent, before they are admitted into our list of birds; nevertheless it is not improbable that *Henicopernis longicauda*, *Ceyx solitarius*, and *Cinnyris aspasixæ* may yet be found on the Australian Continent, as we have authentic specimens from Port Moresby, on the South Coast of New Guinea; but until we have some further information on this point I do not consider it right that we should admit them as Australian, especially as the only collection in which they have been found, was undoubtedly from the Aru Islands, where these birds are common.

ACANTHIZA BUCHANANI; *Vig. & Horsf. Trans. Linn., Soc. XV., p. 227.*

I have never seen this species, nor can I find any bird answering the description given under this name; no habitat is given with the description.

TRICHOGLOSSUS VERREUXI, *Bp. Rev. et. Mag. Zool. (1854), p. 157.*
G. R. Gray, List. Psitt. (1859), p. 61; Finsch, Papag. II, p. 846.

This species, if a true species, is certainly not Australian, unless it be a *gape-bird* perhaps of *T. concinnus*, of which I have seen several, variegated with yellow on the breast, neck and back.

EOPSALTRIA MAGNIROSTRIS, *Ramsay.*

Eopsaltria chrysorrhous, Gould; fol. vol. III., pl. 11.

The true *E. australis*, *Muscicapa australis* of Latham, is confined to the South-eastern and South portion of Australia, and may be distinguished by the *dull wax-yellow* of the rump. See *P. Z. S.*, 1868, p. 384. *Ann. and Mag. Nat. Hist. (4) IV., pp. 108, 109.*

MALURUS LEUCONOTUS, *Gould.* MALURUS CALLAINUS, *Gould.*

The habitat of these species is the interior of South Australia.

AMYTIS MACROURUS, *Gould*, is found in the central portion of Western Australia.

MALURUS AMABILIS, *Gould*, is the adult male, of which *Malurus hypoleucos*, *GOULD*, is the young male and the adult female plumage.

In a list of birds from the Gulf of Carpentaria (see *P. L. S. of N. S. W.*, vol. IV., p. 379), received by Le Comte de Castelnau; a typographical error was made in our remarks on this species, as the context and sense of the passage will show, for the word "female" *young male* should have been written. Our specimen in change of plumage from that of the so-called *M. hypoleucos* to that of *M. amabilis* could not possibly be a female. We have since obtained young birds, said to be females, in the *brown* plumage, characteristic of that sex of this genus; they agree well with the plate of the female given by Mr. Gould in his *Supp. to Bds. of Australia*, pl. 29, but may be the females of a variety of *M. lamberti*, the figure representing the male is that of the *young male* of *M. amabilis*.

PTILOTIS GRACILIS, *Gould*.

Ptilotis notata, *Gould*, *Supp. Bds. Aust.*, pl. 41.

Notwithstanding Mr. Gould's remarks respecting these species I consider them to be identical with *P. similis*, of MM. *Hombroton* and *Jacquinet*, a very variable species both in size, and in the extent and shape of the yellow patch on the ear coverts, as well as in the length of the bill, and of the narrow yellow stripe from the angle of the mouth to under the eye; in some of the numerous specimens examined, one from *Rockingham Bay*, has this stripe almost obsolete; Mr. Gould mentions a specimen of *P. notata* from *Dunk Island*, which is opposite *Rockingham Bay*, but I find, that specimens from this district agree so well with the original description of *P. similis* of *Homb. et Jacq. (Voyage au Pôle. Sud., sp. 46)*, that there can be no doubt of all three being mere varieties of one and the same species, which will of course retain the name of *Ptilotis similis*. Its range extends from *Rockingham Bay*, north to *New Guinea*. The following are the measurements of one of the smaller specimens in the *Dobroyde* collection. Total length 5·2 in. to tip of bill; bill 0·8, wing 2·7, tail 2·2, tarsi 0·7.

I notice “? *Astur cruentus*, Gould;” has been reported by Salvadori and D’Albertis from New Guinea. This will probably be *A. approximans*, of which there are several stages of plumage, or perhaps it may be a new species. I feel convinced it is not the true *A. cruentus* of Gould.

Podargus megacephalus, LATHAM. I have never seen this bird, nor is it to be found in any collections in Australia.

APROSMICTUS INSIGNISSIMUS, Gould, P. Z. S., 1875 (April), p. 315.

This is merely a *lus. nat.* of *A. scapulatus* (*cyanopygius*). I have frequently observed patches of yellow feathers in the plumage of this species. When last in the Richmond River district I shot one with a patch of yellow on the abdomen, and another with yellow feathers on the back of the head; there is one now in the Australian Museum with a row of yellow feathers on the upper wing coverts, and another with a yellow tinge pervading the whole of the upper surface. Mr. Shaw, who shot the bird described by Mr. Gould, informed me that it had paired with a female in the ordinary plumage of that sex of *A. scapulatus*.

CACATUA GOFFINI, Finsch.

There is no authentic record of this species having been obtained in Australia.

PTILINOPUS (*Lamprotreron*) PORPHYROSTICTUS, Gould.

Ann. and Mag. Nat. Hist. (4) 1874, No. 74, p. 137.

The females of *Ptilinopus superbus* of Temminck, agree exactly with the description of *P. porphyrostictus*, Gould, given in the Annals above quoted. I have also compared and examined a large series of skins of *P. superbus*, in all stages of plumage, from various localities; from Port Denison, Rockingham Bay, Cape York, and Duke of York Island, &c.; the adult females are always alike, but the young of both sexes differ, particularly the young males. After a careful examination of over 200 skins of Ptilinopi from the above-mentioned places, I can find none answering to Mr. Gould’s description, which can be separated from the females of *Ptilinopus superbus*, Temm.; if Mr. Gould’s bird, then, is really distinct, I can only say, his description fails to point out wherein it differs.

TRIBONYX MORTIERI, *Du Bus.*

Tribonyx gouldii, Sclater, Ann. Mag. Nat. Hist. (3), Vol. xx., p. 123.

Having examined a large series of this species from Tasmania, I can testify that Mr. Gould is perfectly correct in figuring the adult bird *without any white markings* on the wings; the immature birds (*T. gouldii*, Sclater) have white tips to the upper and under wing-coverts, but those on the upper coverts at least, are lost in the adult. With respect to the size of this species, I give the following measurements of an adult from Tasmania. Total length 16·8, wing 8·5, tail 4·5, tarsi 3·3, mid-toe without nail 2·9. There is no *authentic* record of the bird being found in Western Australia.

HYPOTENIDIA AUSTRALIS, *A. von Pelzel*n; *Ibis*, 1874, pp. 4, 43.

I regret to say I have no opportunity of consulting the number of the "Ibis" referred to, our copy being imperfect.

ANAS GIBBERIFRONS, *Mull.*

I have never met with this species, although said to have been obtained both in North and South Australia,* which I think very improbable.

I here transcribe Mr. Buller's description for the benefit of our readers, trusting, should any of them meet with the bird in the flesh, they will not fail to record the *full particulars* of its capture in our "Proceedings."

ANAS GIBBERIFRONS, *Mull.*

ANAS GRACILIS, *Buller*, *Ibis*, 1869, pp. 41, 42.

"Upper surface dusky-brown with greenish reflections; the feathers of the back and scapulars narrowly margined with fuscous white; the outer portion of the upper wing-coverts pure white, forming a conspicuous bar across the wing; the secondaries velvety black, narrowly tipped with fulvous, and a speculum of shining green occupying the outer vane of the three middle ones; crown and nape blackish-brown, minutely marked with

* "*Ibis*," 1869, *Note pp.* 42, 380; *also* 1870, p. 459.

fulvous-white; throat, fore neck, and sides of the head fulvous-white, the latter marked with saggitate spots of brown; under parts light fulvous-brown, with obscure spots of a darker shade, especially on the breast and sides, each feather having a broad, central mark of blackish-brown; throat and abdomen more or less tinged with bright ferrugineous; bill dark brown, outer portion of the lower mandible, yellow; feet, pale brown."

"Length, 17 inches; expanse, 25·5; wing from flexure, 8; tail, 4; tarsi, 1·25; middle toe and claw, 1·75; bill, along the ridge, 1·5; along the edge of lower mandible, 1·75.

♀ Length, 15·5; expanse, 23·5; wing from flexure, 7·5; tail, 3·5."

TRINGA CANUTA, *Linn.*

Of this species I have examined three Australian shot individuals, two from Wide Bay, and one from Victoria; several others were reported to me, as having been observed in the Melbourne markets, along with *Chladorhynchus pectoralis* and other scarce species.

HYDROCHELIDON LEUCOPTERA *Meisner & Schinz.*

Mr. Howard Saunders states (P. Z. S., 1876, p. 642), that this species has been obtained in Australia and New Zealand, but does not give any localities.

I have never seen, or heard of the bird being found, on our coasts, and should be glad of more definite information on the subject.

The bird which I refer to (sp. 681) as *Sterna dougalli*, agrees well with Mr. Gould's figure of *S. gracilis*, but has a longer tail and the whole of the bill jet black, even to the very base.

For corrections in the nomenclature I am indebted to valuable papers by the following gentlemen: Messrs. R. B. Sharpe (*Hawks and Owls*), J. E. Harting (*Plovers*), Howard Saunders (*Terns*), and to the following works: Sharpe's Catalogues of "*Accipitres*" and "*Striges*," Dr. Finsch's "*Die Papageien*," The